

Списък на цитирани публикации на доц. Петър Желев

1. Делков Н., Юруков С., Желев П., 1987. Досегашни резултати от интродукцията на метасеквоята (*Metasequoia glyptostroboides* Hu et Cheng) в България. Горскостопанска наука, 3, 33-45.

Цитирана в:

1. Iliev I., Tsvetkov I., 1995. Possibilities for *in vivo* and *in vitro* propagation of *Metasequoia glyptostroboides* Hu et Cheng. In: Recent advances in plant biotechnology. Nitra (Slovakia): 64-72.
 2. Илиев И., 2002. Генетика и селекция на декоративните растения. С., Sejani Publ. House, 336 pp.
 3. Guo M. Q., Lu X. X. 2006. Introduction and ex-situ conservation progress of *Metasequoia*. GUANGXI ZHIWU, 26 (3): 235-241. (in Chinese)
 4. Ma J., 2007. A Worldwide Survey of Cultivated *Metasequoia glyptostroboides* Hu & Cheng (Taxodiaceae: Cupressaceae) from 1947 to 2007. Bulletin of the Peabody Museum of Natural History, 48 (2): 235-253.
 5. Ma J.-S., 2008. A Worldwide Survey of Cultivated *Metasequoia glyptostroboides* Hu and Cheng (Taxodiaceae) from 1947 to 2007. Journal of Wuhan Botanical Research, 26(2): 186-196. (in Chinese)
2. Iliev I., and Zhelev P., 1994. Morphological and biochemical studies on *in vitro* rhizogenesis of regenerants of *Betula pendula* 'Youngii'. In: Proceedings of the Eastern and Central European IPPS Meeting, Hungary: 84-90.

Цитирана в:

6. Schmidt G., Marta K., Pal J., 1995. Effect of age of micropropagated and cutting-propagated stockplants on the rooting of 3 *Sorbus* hybrids. *Kertészeti Tudomány* (Horticultural Science – Hungary), 27 (2): 77-79.
 7. Schmidt G., 1996. Propagation of some hard-to-root cultivars of Cupressaceae family with juvenile microcuttings. In: Iliev I., Zhelev P. and Alexandrov P. (eds.). IPPS in Bulgaria. Propagation of ornamental plants, pp. 135-142.
 8. Илиев И., 1996. Възможности за повишаване използването на гигантската секвоя (*Sequoiadendron giganteum* (Lindl.) Buchh.) чрез семенно и вегетативно размножаване. Дисертация, ЛТУ, София.
 9. Schmidt G. (2002). Juvenilitás-prekondicionálás-regenerációs képesség honosításra és nemesítésre épülő vizsgálatai fásszárú díznövényeknél. Értekezés a Magyar Tudományos Akadémia Doktora tudományos cím elnyeréséhez, Budapest, Május 2002. (Schmidt G., 2002. Juvenility-precondition-regeneration interaction studies at the breeding and introduction of woody ornamentals. Dissertation for obtaining the scientific degree Doctor of Hungarian Academy of Sciences)
 10. Ördögh M., Jámбор-Benczúr E., Tilly-Mándy A., Lelik L., 2009. Effects of different cytokinins on proliferation of *Sorbus borbasii* 'Herkulesfürdő'. Propagation of Ornamental Plants, 9: 46-46. * (Ordogh)
3. Желев П., 1992. Еколого-биологични и селекционно-генетични проучвания в бялборовите популации от Родопите. Автореферат на дисертация, С., ВЛТИ, 35 с. (ръкопис 129 с. + приложения).

Цитирана в:

11. Найденов К., 1998. Химиофенотипно разнообразие на белия бор (*Pinus sylvestris* L.), определено по метода газ-хроматография на терпени. Дисертация, ИГ-БАН.
12. Михайлов В., 1998. Изменчивост на черния бор (*Pinus nigra* Arn.) по размери, тегло, форма и апофиза на шишарките от Пирин и Славянка. Наука за гората, 1-2: 24-37.
13. Илиев И., 2002. Генетика и селекция на декоративните растения. С., Sejani Publ. House, 336 pp.

14. Naydenov K., Alexandrov A., Tremblay M., 2002. Terpene composition of Scots Pine (*Pinus sylvestris* L.) in the eastern part of Balkan peninsula. 1. Provenance tests. *Biotechnology and Biotechnological Equipment*, 16 (2): 99-108.*
15. Юруков С., 2003. Дендрология. С., ЛТУ.
16. Naydenov KD, Tremblay FM, Alexandrov A., Fenton NJ, 2005. Structure of *Pinus sylvestris* L. populations in Bulgaria revealed by chloroplast microsatellites and terpenes analysis: Provenance tests. *Biochemical Systematics and Ecology*, 33: 1226-1245.* (Naydenov_2005)
17. Naydenov K.D., Naydenov M.K., Tremblay F., Alexandrov A., Aubin-Fournier L.-D., 2011. Patterns of genetic diversity that result from bottlenecks in Scots Pine and the implications for local genetic conservation and management practices in Bulgaria. *New Forests*, 42(2): 179-193.* (Naydenov_2011)
18. Alexandrov A., Dobrev R., 2012. State of forest genetic resources in Bulgaria. *Nauka za Gorata*, 1-2: 1-22. (Alexandrov&Dobrev_2012)
19. Alexandrov A., Dobrev R., 2011. The state of the world's forest genetic resources. Country Report Bulgaria, FAO, Rome, 60 pp.
20. Naydenov K.D., Mladenov I., Alexandrov A., Naydenov M.K., Gyuleva V., Goudiaby V., Nikolic B., Kamary S., 2015. Patterns of genetic diversity resulting from bottlenecks in European black pine, with implication on local genetic conservation and management practices in Bulgaria. *European Journal of Forest Research*, 134: 669-681.*

4. Желев П., Юруков С., 1995. Дендрологична характеристика на зелените площи на градовете от Южна България. I. Зелени площи на Пловдив. В: Цанков Г., Илиев С., Божинов Б., Богданов Б., Желев П. (ред.). Сб. Доклади от юбилейна научна конференция “100 години от рождението на акад. Борис Стефанов”, т. II: 232-237. С., PSSA.

Цитирана в:

21. Цавков, Е, 2000. Дендрологична характеристика на зелените площи на гр. Силистра. В: Пипков Н., Желев П., Драганова И. (ред.) Сб. Доклади от научна конференция “75 години висше лесотехническо образование в България”, серия Ландшафтна архитектура и стопанско управление: 72-81.
22. Чешмеджиев И., Василев Р., 2009. Флората на Пловдив. С., Българска фондация Биоразнообразие, 303 с.
23. Стоянова М., 2014. Гинко (*Ginkgo biloba* L.) в парковете на България. В: Георгиев Г. и др. (ред.). Сборник научни доклади на Института за гората – БАН: 44-52.
24. Anisimova S., 2018. Dendrological diversity in Santa Marina Holiday Village – Sozopol, as an example of contemporary landscape design trends in Bulgaria. *Silva Balcanica*, 19(1): 5-19.

5. Longauer R., Zhelev P., Paule L., and Gömöry D., 1992. The mating system, outcrossing rate and genetic differentiation of Scots pine (*Pinus sylvestris* L.) populations from Bulgaria. *Biologia (Bratislava)*, 47, 7: 539-547.

Цитирана в:

25. Belokon YS, Politov DV, Belokon MM, Krutovskii KV. 1995. Genetic control of isozymes in Scots pine (*Pinus sylvestris* L) from Zaural'e. *GENETIKA (Moscow)*, 31: (11) 1521-1528.*
26. Ohlson M., 1999. Differentiation in adaptive traits between neighbouring bog and mineral soil populations of Scots pine, *Pinus sylvestris*. *ECOGRAPHY*, 22: (2) 178-182. *
27. Puglisi S., Lovreglio R., Attolico M., 1999. Subpopulation differentiation along elevational transect within two Italian populations of Scots pine (*Pinus sylvestris* L.). *Forest Genetics*, 6 (4): 249-258. (Puglisi_99)
28. Илиев И., 2002. Генетика и селекция на декоративните растения. С., Sejani Publ. House, 336 pp.
29. Санников С.Н., Петрова И.В., 2003. Дифференциация популяций сосны обыкновенной. Уральское отделение РАН, Ботанический сад, Екатеринбург, 247 с.
30. O'Connell L.M., 2003. The evolution of inbreeding in Western redcedar (*Thuja plicata*: Cupressaceae). Ph.D. thesis, University of British Columbia, Vancouver, XIV + 162 pp. (O'Connell)
31. Wasielewska M, Klemm M, Burczyk J, 2005. Genetic diversity and mating system of Scots pine plus trees. *Dendrobiology*, 53: 57-62. (Wasielewska_2005)

32. Naydenov KD, Tremblay FM, Alexandrov A., Fenton NJ, 2005. Structure of *Pinus sylvestris* L. populations in Bulgaria revealed by chloroplast microsatellites and terpenes analysis: Provenance tests. *Biochemical Systematics and Ecology*, 33: 1226-1245.* (Naydenov_2005)
33. Mánek J., Ešnerová J, 2004. Isozyme differentiation of *Pinus mugo* Turra and *Pinus* × *pseudopumilio* (Willk.) Beck. *AKTUALITY ŠUMAVSKÉHO VÝZKUMU II*, 4-7: 151–157 (in Czech with English summary) (Manek&Elsnerova)
34. Mánek J., Ešnerová J, 2004. Isozyme differentiation of *Pinus mugo* Turra and *Pinus* × *pseudopumilio* (Willk.) Beck in the Giant Mountains and in the Bohemian forest, Czech Republic. *Forest Genetics*, 11 (3-4): 295-302. (manek2)
35. Zlatanov T., Popov G., Delkov A., 2006. The potential for conservation of Austrian Pine (*Pinus nigra* Arn.) forests in “Borovo” nature reserve – Eastern Rhodopi Mountains. In: Proceedings of the Scientific Conference: “Management of forest ecosystems in national parks and other protected areas” Zbornik radova, Jahorina - NP. Sutjeska, 05-08. Jul 2006: 43 – 49.
36. Златанов Ц., 2006. Възобновяване на черния бор (*Pinus nigra* Arn.) в резерват Борово – Източни Родопи. *Екологично инженерство и опазване на околната среда*, № 2, 2006, с. 53-58.
37. Działuk A., Burczyk J., 2002. comparison of genetic diversity of Scots pine (*Pinus sylvestris* L.) from qualified seed-tree stand and clonal seed orchard. *Ecological Questions*, 2: 89-94. (Dzialuk_Burczyk_2002)
38. Шейкина О.В., Лебедева Э.П., Шигапов З.Х., 2013. Фенотипическая и генетическая изменчивость клонов плюсовых деревьев сосны обыкновенной на лесосеменной плантации в Чувашской республике. *Поволжский государственный технологический университет (Йошкар-Ола)*, 160 с.

6. Zhelev P., Longauer R., Paule L., and Gömöry D., 1994. Genetic structure of indigenous Scots pine populations from Rhodopi Mountains. *Nauka za gorata (Bulgarian Forest Science)*, 3: 68-76.

Цитирана в:

39. Puglisi S., Lovreglio R., Attolico M., 1999. Subpopulation differentiation along elevational transect within two Italian populations of Scots pine (*Pinus sylvestris* L.). *Forest Genetics*, 6 (4): 249-258. (Puglisi_99)
40. Puglisi C., Attolico M., 2000. Allozyme variation in natural populations of the Italian range of *Pinus sylvestris* L. *Forest Genetics*, 7(3): 221-232. (Puglisi_2000)
41. Илиев И., 2002. Генетика и селекция на декоративните растения. С., Sejani Publ. House, 336 pp.
42. Dvornyk V, 2001. Genetic Variability and Differentiation of Geographically Marginal Scots Pine Populations From Ukraine. *Silvae Genetica* 50, 2: 64-69. * (Dvornyk_2001)
43. Puglisi S., 2003. Variabilità genetica di popolazioni italiane di pino silvestre (*Pinus sylvestris* L.): Aspetti gestionali e selvicolturali parte I. *L'Italia Forestale e Montana*, 58(6): 441-459. (Puglisi_2003)
44. Naydenov KD, Tremblay FM, Alexandrov A., Fenton NJ, 2005. Structure of *Pinus sylvestris* L. populations in Bulgaria revealed by chloroplast microsatellites and terpenes analysis: Provenance tests. *Biochemical Systematics and Ecology*, 33: 1226-1245.* (Naydenov_2005)
45. Zlatanov T., Popov G., Delkov A., 2006. The potential for conservation of Austrian Pine (*Pinus nigra* Arn.) forests in “Borovo” nature reserve – Eastern Rhodopi Mountains. In: Scientific conference: “Management of forest ecosystems in national parks and other protected areas” Zbornik radova, Jahorina - NP. Sutjeska, 05 -08. Jul 2006. p: 43 – 49.
46. Санников С.Н., Петрова И.В., 2003. Дифференциация популяций сосны обыкновенной. *Уральское отделение РАН, Ботанический сад, Екатеринбург*, 247 с.
47. Шигапов З.Х., 2005. Внутривидовая изменчивость и дифференциация видов сем. Pinaceae на Урале. *Дисертация (дбн), Пермь*, 362 с. (Shigarov_DSс)
48. Naydenov K.D., Naydenov M.K., Tremblay F., Alexandrov A., Aubin-Fournier L.-D., 2011. Patterns of genetic diversity that result from bottlenecks in Scots Pine and the implications for local genetic conservation and management practices in Bulgaria. *New Forests*, 42(2): 179-193.* (Naydenov_2011)
49. Санников С.Н., Петрова И.В., Филиппова Т.В., Санникова С.Н., Парпан Т.В., Егоров Е.В., 2011. Полиморфизм и дифференциация популяций *Pinus sylvestris* в Украинских Карпатах. *Вісник Дніпропетровського університету. Біологія. Екологія.* – 2011. – Вип. 19, т. 1. – С. 101–112. (Sannikov)

50. Петрова И.В., 2002. Изоляция, дифференциация и хорологическая структура популяций сосны обыкновенной на примере Северной Евразии. Диссертация на соискание ученой степени доктора биологических наук. Екатеринбург, 482 с. (Irina_Petrova)
51. Санников С.Н., Петрова И.В., 2012. Филогеография и генотаксономия популяций вида *Pinus sylvestris* L. Экология, 43(4): 252-260. *
52. Alexandrov A., Dobrev R., 2012. State of forest genetic resources in Bulgaria. *Nauka za Gorata*, 1-2: 1-22. (Alexandrov&Dobrev_2012)
53. Alexandrov A., Dobrev R., 2011. The state of the world's forest genetic resources. Country Report Bulgaria, FAO, Rome, 60 pp.
54. Dvornyk V. Y., 2004. Methods of molecular genetics in ecomonitoring of coniferous forests: approaches and prospects. *Екология та ноосферология*, 15 (1-2): 18-25.
55. Naydenov K.D., Mladenov I., Alexandrov A., Naydenov M.K., Gyuleva V., Goudiaby V., Nikolic B., Kamary S., 2015. Patterns of genetic diversity resulting from bottlenecks in European black pine, with implication on local genetic conservation and management practices in Bulgaria. *European Journal of Forest Research*, 134: 669-681.*
56. Лебедев В.А., 2017. Лесоводственная и эколого-генетическая оценка состояния лесных генетических резерватов Свердловской области. Диссертация на соискание ученой степени кандидата биологических наук. Екатеринбург, 192 с.

7. Желев П., Гогушев Г., 2000. Флористични материали от района на Петрич. В: Пипков Н., Желев П., Драганова И. (ред.) Сб. Доклади от научна конференция “75 години висше лесотехническо образование в България”, серия Екология и опазване на природната среда, 53-55.

Цитирана в:

57. Петрова А., 2001. Биосистематичните и флористични изследвания в България за периода 1993-2001 г. В: Темнискова Д. (ред.). Трудове на Шестата Национална конференция по Ботаника: 27-46.
58. Асьов Б., Димитров Д., Василев Р., Петрова А., 2002. Конспект на висшата флора в България. Хорология и флорни елементи. II изд. (под ред. на Д. Димитров). Българо-Швейцарска програма за опазване на биологичното разнообразие, С., 422 с.
59. Петрова А., Владимирова В., Димитрова Д., Иванова Д., 2005. Съвременен състояние на биологичното разнообразие при папратовидни и семенни растения в България. В: Петрова А. (гл. ред.) Съвременен състояние на биологичното разнообразие в България – перспективи и проблеми: 75-104.
60. Ančev M., 2007. Catalogue of the family *Brassicaceae* (*Cruciferae*) in the flora of Bulgaria. *Phytologia Balcanica*, 13(2): 153-178. (Ancev_Brassicaceae)
61. Асьов Б., Петрова А.С., Димитров Д., Василев Р., 2006. Конспект на висшата флора на България. Хорология и флорни елементи (III изд.). С., БФБ, 452 с.
62. Борисова Б., Цамбова Е., 2013. Оценка на ландшафтно-екологичните ресурси на ПП „Беласица“ за нуждите на рекреацията и туризма. Годишник на СУ „Св. Климент Охридски“, Геолого-географски факултет, книга 2 География, т. 105: 213-234. цитиране само в текста на стр. 215, липсва в списъка на литературата.
63. Dimitrov D.S., Vutov V.M., 2016. Flora of the Belassitsa Mountain. *Bulgarian Journal of Agricultural Science*, 22 (1): 30–39. (Dimitrov&Vutov_2016)
64. Assenov A., Chikalanov A., Lyubenova M., Kostadinova S., 2017. Ecosystem Services: A Function of Natural Capital. In: Efe R., Öztürk M. (Eds.). *Contemporary Studies in Environment and Tourism*. Cambridge scholars Publishing: 43-60. ISBN (10): 1-4438-7283-0; ISBN (13): 978-1-4438-7283-6.

8. Желев П., Рафаилова Е., 1998. Предварителни резултати от изследване на растителното биоразнообразие във водосбора “Бъзенишки дол”. *Лесовъдска мисъл*, 3: 53-63.

Цитирана в:

65. Петрова А., 2001. Биосистематичните и флористични изследвания в България за периода 1993-2001 г. В: Темнискова Д. (ред.). Трудове на Шестата Национална конференция по Ботаника: 27-46.
66. Петрова А., Владимирова В., Димитрова Д., Иванова Д., 2005. Съвременно състояние на биологичното разнообразие при папратовидни и семенни растения в България. В: Петрова А. (гл. ред.) Съвременно състояние на биологичното разнообразие в България – перспективи и проблеми: 75-104.

9. Gömöry D., Paule L., Brus R., Zhelev P., Tomović Z., and Gračan J., 1999. Genetic differentiation and phylogeny of beech on the Balkan Peninsula. *Journal of Evolutionary Biology*, 12 (4): 746-754.

Цитирана в:

67. Sander T., Rothe G.M., Westgerber H., Janssen A., 2001. Allelic and genotypic variation of 13 European beech (*Fagus sylvatica* L.) populations in Hesse, Germany. *Forest Genetics*, 8(1): 13-24. (Sander)
68. Bergmeier E., Dimopoulos P., 2001. *Fagus sylvatica* forest vegetation in Greece: Syntaxonomy and gradient analysis. *Journal of Vegetation Science* 12: 109-126. * (Bergmeier)
69. Konnert M., Ruetz W., 2001. Genetic variation of beech (*Fagus sylvatica* L.) provenances in an international beech provenance trial. *Forest Genetics*, 8(3): 173-184. (Konnert&Ruetz)
70. Müller-Starck G., Konnert M., von Wühlisch G., 2001. Labormanual zur Durchführung von Isoenzymanalysen bei der Buche (*Fagus sylvatica* L.). Report. Bund-Länder-Arbeitsgruppe "Erhaltung forstlicher Genressourcen". Unterarbeitsgruppe "Biochemisch-genetische Analyse". 39 pp. (labormanual_buche)
71. Илиев И., 2002. Генетика и селекция на декоративните растения. С., Sejani Publ. House, 336 pp.
72. Denk T., Grimm G., Stögerer K., Langer M., Hemleben V., 2002. The evolutionary history of *Fagus* in western Eurasia: Evidence from genes, morphology and the fossil record. *Plant Systematics and Evolution*, 232(3-4): 213-236. * (denk_pse)
73. Hampe, A, Arroyo J, Jordano P and Petit RJ, 2003. Rangewide phylogeography of a bird-dispersed Eurasian shrub: contrasting Mediterranean and temperate glacial refugia. *Molecular Ecology* 12: 12, 3415-3426.* (Hampe_et al_2003_Frangula)
74. Tsiripidis, I. & Athanasiadis, N., 2003. Contribution to the knowledge of the vascular flora of NE Greece: Floristic composition of the beech (*Fagus sylvatica* L.) forests in the Greek Rodopi. – *Willdenowia* 33: 273-297. (Tsiripidis+Athanasiadis)
75. Trinajstić I., 2003. Taksonomija, morfologija i rasprostranjenost Obične bukve. In: Matić S. (Ed. in Chief). Obična bukva u Hrvatskoj. Hrvatske Šume, Zagreb: 33-47. (in Croatian); *Also in English: Taxonomy, morphology and distribution of Common Beech in Croatia: 48-56.*
76. Kajba D., 2003. Unitarpopulacijska i međupopulacijska varijabilnost Obične bukve. In: Matić S. (Ed. in Chief). Obična bukva u Hrvatskoj. Hrvatske Šume, Zagreb: 247-255. (in Croatian); *Also in English: The variability of Common Beech within populations and among populations: 256-263.*
77. Vettori C, Vendramin GG, Anzidei M, Pastorelli R, Paffetti D, and Giannini R, 2004. Geographic distribution of chloroplast variation in Italian populations of beech (*Fagus sylvatica* L.). *Theoretical and Applied Genetics*, 109, No 1: 1–9. * (Vettori_04)
78. Gailing, O., von Wuehlisch, G., 2004. Nuclear markers (AFLPs) and chloroplast microsatellites differ between *Fagus sylvatica* and *F. orientalis*. *Silvae genetica*, .53(3): 105-110.* (Gailing&vonWuehlisch)
79. von Wuehlisch G., Gailing O., 2004. *Fagus orientalis* and *Fagus sylvatica* differ in Nuclear Markers (AFLPs), Chloroplast Microsatellites, and Leaf Morphology. In: Sagheb-Talebi K., Madsen P., Terazawa K. (Eds.). Improvement and Silviculture of Beech. Proceedings from the 7th International Beech Symposium. IUFRO Research Group 1.10.00, 10-20 May 2004, Tehran, Iran: 145-154. (11000-beech-proceedings-tehran-04)
80. Surina B., Dakskobler I., 2005. Delimitation of the alliances *Caricion firmae* (*Seslerietalia albicantis*) and *Seslerion juncifoliae* (*Seslerietalia juncifoliae*) in the southeastern Alps and Dinaric mountains. *Plant Biosystems*, 139, 3: 499-510.* (Surina&Dakskobler)
81. Thompson J. D., 2005. *Plant Evolution in the Mediterranean*. Oxford University Press, 293 pp. (Thomson_Plant-evolution-in-the-mediterranean-apr)
82. Tzonev R., Dimitrov M., Chytry M., Roussakova V., Dimova D., Gussev C., Pavlov D., Vulchev V., Vitkova A., Gogushev G., Nikolov I., Borisova D., Ganeva A., 2006. Beech forest communities in Bulgaria. *Phytocoenologia*, 36, 2: 247-279.* (Tzonev_2006)

83. Marcussen T., 2006. Allozymic variation in the widespread and cultivated *Viola odorata* (Violaceae) in western Eurasia. *Botanical Journal of the Linnean Society*, 151 (4): 563-571.* (Marcussen_2006)
84. Musacchio A., Pellegrino G., Cafasso D., Widmer A., Cozzolino S., 2006. A unique *A. palustris* lineage across the Otranto strait: botanical evidence for a past land-bridge? *Plant systematics and evolution*, 262, 1-2: 103-111.* (A_palustris)
85. Salehi Shanjani P., Sagheb-Talebi Kh., 2006. Genetic differentiation of Caspian beech (*Fagus orientalis*) forests from European and Asian Minor beech (*Fagus* spp.) stands. *Iranian Journal of Natural Research*, 58 (4): 779-791. (Iranian_Beech)
86. Мосякін С.Л., Безусько Л.Г. Мосякін А.С. Релікти, рефугіуми та міграційні шляхи рослин Європи у плейстоцені – голоцені: короткий огляд філогеографічних свідчень // Укр. ботан. журн. – 2005. – Т. 62, № 6. – С. 777–789. (Mosyakin_et_al_2005)
87. Frajman B., Oxelman B., 2007. Reticulate phylogenetics and phytogeographical structure of *Heliosperma* (Sileneae, Caryophyllaceae) inferred from chloroplast and nuclear DNA sequences. *Molecular Phylogenetics and Evolution*, 43: 140–155. * (Heliosperma)
88. Buiteveld J., Vendramin G.G., Leonardi S., Kramer K., Geburek T., 2007. Genetic diversity and differentiation in European beech (*Fagus sylvatica* L.) stands varying in management history. *Forest Ecology and Management*, 247: 98–106.* (Buiteveld_etal)
89. Wehenkel C., 2007. Interaktion zwischen der genetischen Diversität und der Artendiversität in unterschiedlichen Baumbeständen. Cuvillier Verlag, 234 pp. (Wehenkel0.jpg, Wehenkel1.jpg, Wehenkel2.jpg)
90. Amaryllis V., Papageorgiou A., Gailing O., Tsiripidis I., Finkeldey R., 2007. Genetic diversity and possible evolution of four beech populations in Rodopi. In: *Forest and Water: Protection of the Environment*. 12th congress of the Greek foresters: 51-58 (in Greek). (Aristotelis_beech_in_Greek)
91. Papageorgiou A.C., Vidalis A., Gailing O., Tsiripidis I., Hatziskakis S, Boutsios S., Galatsidas S., Finkeldey R., 2008. Genetic variation of beech (*Fagus sylvatica* L.) in Rodopi (N.E. Greece). *European Journal of Forest Research*, 127 (1): 81-88.* (Aristotelis_beech)
92. Dacassa Rüdinger M. C., Glaeser J., Hebel I., Dounavi A., 2008. Genetic structures of common ash (*Fraxinus excelsior*) populations in Germany at sites differing in water regimes. *Canadian Journal of Forest Research*, 38: 1199-1210. *
93. Kucera J. Tremetsberger K., Vojta J, Marhold K., 2008. Molecular study of the *Cardamine maritima* group (Brassicaceae) from the Balkan and Apennine Peninsulas based on amplified fragment length polymorphism. *Plant systematics and evolution*, 275 (3-4): 193-207. * (Kucera)
94. Sułkowska M., Kowalczyk J., Przybylski P., 2008. Zmienność genetyczna i ekotypowa buka zwyczajnego (*Fagus sylvatica* L.) w Polsce. *Leœne Prace Badawcze (Forest Research Papers)*, 69 (2): 133–142 (in Polish).(Sulkowska_2008)
95. Chybicki I. J., Burczyk J., 2009. Simultaneous Estimation of Null Alleles and Inbreeding Coefficients. *Journal of heredity*, 100 (1): 106-113.* (Chibycki&Burczyk)
96. Carni A, Kosir P, Karadzic B, Matevski V., Redzic S., Skvorc Z., 2009. Thermophilous deciduous forests in Southeastern Europe. *PLANT BIOSYSTEMS*, 143 (1): 1-13.*
97. Chybicki I.J., Trojankiewicz M., Oleksa A., Dzialuk A., Burczyk J., 2009. Isolation-by-distance within naturally established populations of European beech (*Fagus sylvatica*). *Botany*, 87: 791-798. *
98. Salehi Shanjani P., Assareh M. H., Calagari M., 2009. Differentiation of beech stem forms using isoenzyme gene markers. *Iranian Journal of Rangelands and Forests Plant Breeding and Genetic Research* Vol. 17, No. 1: 139-154. (in Persian) (IRAN_2009)
99. Bellusci F., Musacchio A., Palermo A.M., Pellegrino G., 2010. Exploring the history of *Serapias politisii* (Orchidaceae), a narrow endemic on the opposite coasts of the Otranto channel: insights from molecular investigations. *Botanical Journal of the Linnean Society*, 162(4): 572-580.*
100. Bardy K.E., Albach D.C., Schneeweiss G.M., Fischer M.A., Schönswetter P., 2010. Disentangling phylogeography, polyploid evolution and taxonomy of a woodland herb (*Veronica chamaedrys* group, Plantaginaceae s.l.) in southeastern Europe. *Molecular Phylogenetics and Evolution*, 57: 771-786.* (Bardy_Veronica_1)
101. Balian D., Ivanković M., Gračan J., Perić S., Marjanović H., Bobinac M., Slade D., 2010. Analysis of Pubescent Oak (*Quercus pubescens* Willd.) by means of chloroplast DNA (cpDNA) in the western part of the Balkan Peninsula. *Acta Societatis Botanicorum Poloniae*, 79: 189-195. * (Ballian_2010)
102. Bardy K.E., 2010. Disentangling the evolutionary history of *Veronica* (Plantaginaceae) in southeastern Europe. Ph.D. thesis, University of Vienna, 137 pp. (Bardy_PHD)
103. Стойко С.М., Делеган І.В., 2010. Науковий внесок словацького вченого, доктора наук, професора Ладіслава Пауле в лісівництво, лісову генетику та селекцію. Наукові праці Лісівничої академії наук України : збірник наукових праць, РВВ НЛТУ України, Львів, Вип. 8.: 202-205. (Stoyko_Paule)

104. Balian D., 2010. An overview of European beech (*Fagus sylvatica* L.) in Bosnia and Herzegovina. *Communicationes Instituti Forestalis Bohemicae*, 25: 51-60. (Communicationes_25_1.cast)
105. Alexandrov A., Dakov A., 2010. Current state of European beech (*Fagus sylvatica* L.) and Oriental beech (*Fagus orientalis* Lipsky) gene-pool in Bulgaria. *Communicationes Instituti Forestalis Bohemicae*, 25: 61-69. (Communicationes_25_1.cast)
106. Spanos K., Gaitanis D., 2010. Current status of genetic resources of beech in Greece. *Communicationes Instituti Forestalis Bohemicae*, 25: 141-151. (Communicationes_25_2.cast)
107. Šijačić-Nikolić M., Orlović S., Pilipović A., 2010. Current state of Balkan beech (*Fagus sylvatica* ssp. *sylvatica*) gene pool in the Republic of Serbia. *Communicationes Instituti Forestalis Bohemicae*, 25: 210-219. (Communicationes_25_3.cast)
108. Hatziskakis S., Tsiripidis I., Papageorgiou A.C., 2011. Leaf morphological variation in beech (*Fagus sylvatica* L.) populations in Greece and its relation to their post-glacial origin. *Botanical Journal of the Linnean Society*, 165(4): 422-436.*
109. Lazăr A. N., Popoviciu G. 2010. The heritage characters in comparative culture of origin Beech Baia Sprie-Carbanaru-Maramires. *Analele Universității din Oradea, Fascicula: Protecția Mediului Vol. XV*: 453-455.
110. Luca A., Bellusci F., Pellegrino G., Musacchio A., 2011. Studio molecolare dell'orchidea endemica *Serapias politisii*. In: Peruzzi L., Bedini G., Garbari F. (eds.). PIPPs (Peripheral and Isolated Plant Populations) ed endemiti: tassonomia, filogenesi ed evoluzione. Sintesi delle Comunicazioni, Livorno, 10-11.06.2011: 20-21. (Serapias)
111. Spaniel S., Marhold K., Passalacqua N.G., Zozomová-Lihová J., 2011. Intricate variation patterns in the diploid-polyploid complex of *Alyssum montanum*-*A. repens* (Brassicaceae) in the Apennine Peninsula: Evidence for long-term persistence and diversification. *American Journal of Botany*, 98(11): 1887-1904.* (Spaniel)
112. Ivankovic M, Popovic M, Katicic I, von Wuhlich G, Bogdan S., 2011. Quantitative genetic variation of European beech (*Fagus sylvatica* L.) provenances from the Southeastern Europe. *Sumarski List*, 135 (Special Issue): 25-37. (Ivankovic_2011)
113. Ballian D., Zukić N., 2011. Analysis of the growth of Common Beech provenances (*Fagus sylvatica* L.) in the international experiment near Kakanj. *Works of the Faculty of Forestry, University of Sarajevo* 2: 75 – 91. (Ballian_2011)
114. Marinšek A., Šilc U., Čarni A., 2013. Geographical and ecological differentiation of *Fagus* forest vegetation in SE Europe. *Applied Vegetation Science*, 16: 131-147. (Marinsek_et_al_2013)*
115. Marinšek A., 2012. Geografska in ekološka členitev bukovih gozdov na Balkanu ter širina ekoloških niš rastlinskih vrst v bukovih gozdovih od Sredozemlja do Severnega morja. Ph.D. thesis, Biotechnical Faculty, University of Ljubljana, 128 pp. + Appendices
116. Wang L.-N., Jiang X.-L., Lei Y., Zhang M.-L., 2012. A panbiogeographical explanation of the disjunct distribution of *Fagus* (Fagaceae) in the northern temperate zone. *Chinese Journal of Plant Ecology*, 36(5): 393–402. (in Chinese with English abstract). (Wang_et_al_2012)
117. Košir P, Casavecchi A., Čarni A, Škvorc Z, Zivkovic L., Biondi E, 2012. Ecological and phytogeographical differentiation of oak-hornbeam forests in southeastern Europe. *Plant biosystems*, 147: 84-98.*
118. Fussi B., Belle C., Konnert M., Blanc-Jolivet C., Liesebach M., Buiteveld J., Piotti A., Vendramin G.G., Wagner S., Petit R.J., Jahn D., Heinze B., 2012. Designing Trees for the Future. D7.1 – Report on review of available and tested methods for identification and on new marker development, 159 pp. (Trees4Future).
119. Packham J.R., Thomas P.A., Atkinson M.D., Degen, T., 2012. Biological Flora of the British Isles: *Fagus sylvatica*. *Journal of Ecology* 100 (6): 1557-1608.* (Packham_et_al_2012)
120. Božić G., Kutnar L., 2012. Genetic variability of two *Fagus sylvatica* (L.) populations in the south-western edge of the Pannonian Plain. *Acta Silvatica et Lignaria Hungarica*, 8: 75-86. (bozic_kutnar)
121. Ballian D., Bogunic F., Mujezinovic O., Kajba D, 2012. Genetska diferencijacija obične bukve (*Fagus sylvatica* L.) u Bosni i Hercegovini. *Šumarski List*, 136(11-12): 587-595. (Ballian_et_al_2012)
122. Spanos K. A., 2011. Beech forest genetic resources in Greece; their importance and conservation value. Adaptive strategy under the climate change. In: Genetic resources of European Beech (*Fagus sylvatica* L.) for sustainable forestry. Monografias INIA: Serie Forestal. (Proceedings of the COST E52 final meeting, 4-6 May 2010, Burgos, Spain): 93-113. (Spanos_monograph)
123. Ballian D., Bogunić F., 2012. Genetička identifikacija sjemenskih sastojina hrasta kitnjaka (*Quercus petraea* (Matt.) Liebl.) u Federaciji Bosne i Hercegovine. In: Šarić T., Beus V. (Eds.). Naučna konferencija Šume – indikator kvaliteta okoliša. Akademija Nauka i Umjetnosti Bosne i Hercegovine, Posebna izdanja knjiga CXLV, Odjeljenje prirodnih i matematičkih nauka, Knjiga 19: 77-88. (17_osebna_izdanja_CXLV_19_full)

- 124.Božič G., Ivanković M., Kutnar L., 2013. Genetic structure of European Beech (*Fagus sylvatica* L.) seed stands from different forest sites of Gorjanci Mountains as revealed by isoenzymes. Šumarski list, 137 (1–2): 25–32.(Bozic_2013)
- 125.Shumilovskikh L.S., Arz H.W., Wegwerth A., Fleitmann D., Marret F., Nowaczyk N., Tarasov P., Behling H., 2013. Vegetation and environmental changes in Northern Anatolia between 134 and 119 ka recorded in Black Sea sediments. Quaternary Research, 80(3): 349-360. *
- 126.Alexandrov A., Dobrev R., 2012. State of forest genetic resources in Bulgaria. Nauka za Gorata, 1-2: 1-22. (Alexandrov&Dobrev_2012)
- 127.Sijačić-Nikolić M., Milovanović J., Nonić M., Knežević R., Stanković D., 2013. Leaf morphometric characteristics variability of different beech provenances in juvenile development stage. Genetika, 45 (2): 369-380.* (Sijacic-Nikolic_2013)
- 128.Montiel-Oscara D., Ramírez-Herrera C., Ángeles-Pérez G., López-Upton J., Antonio-López P., 2013. Variación aloenzimática y tamaño de poblaciones de Haya Mexicana (*Fagus grandifolia* subsp. mexicana) en la Sierra Madre Oriental. Revista Fitotecnia Mexicana, 36(4): 413-420.
- 129.Balian D., Isajev V., Danicic V., Cvetkovic B., Bogunic F., Mataruga M., 2013. Genetic differentiation in seed stands of European Beech (*Fagus sylvatica* L.) in part of Bosnia and Herzegovina. Genetika (Beograd), 45(3): 895-906.*
- 130.Papageorgiou A.C., Tsiripidis I., Mouratidis T., Hatziskakis S., Gailing O., N.-G. H. Eliades, Vidalis A., Drouzas A.D., Finkeldey R., 2014. Complex fine-scale phylogeographical patterns in a putative refugial region for *Fagus sylvatica* (Fagaceae). Botanical journal of the Linnean Society, 174(4): 516-528. *
- 131.Fernandez-Llamazares A., Belmonte J., Boada M., Fraixedas S., 2014. Airborne pollen records and their potential applications to the conservation of biodiversity. Aerobiologia, 30 (2): 111-122.* (Fernandez-Llamazares_2014)
- 132.Fortini P., Di Marzio P., Di Pietro R., 2015. Differentiation and hybridization of *Quercus frainetto*, *Q. petraea*, and *Q. pubescens* (Fagaceae): insights from macro-morphological leaf traits and molecular data. Plant Systematics and Evolution, 301:375-385.* (Fortini_et_al_2015).
- 133.Westergren M., Bozic G., Ferreira A., Kraigher H., 2015. Insignificant effect of management using irregular shelterwood system on the genetic diversity of European beech (*Fagus sylvatica* L.): A case study of managed stand and old growth forest in Slovenia. Forest Ecology and Management, 335: 51-59.* (Westergren_et_al_2015)
- 134.Stojnic S., Orlovic S., Miljkovic D., Galic Z., Kebert M., von Wuehlisch G., 2015. Provenance plasticity of European beech leaf traits under differing environmental conditions at two Serbian common garden sites. European Journal of Forest Research, 134: 1109-1125.* (Stojnic_et_al_2015)
- 135.Ballian D., Jukić B., Balić B., Kajba D., Von Wüehlich G., 2015. Fenološka varijabilnost obične bukve (*Fagus sylvatica* L.) u međunarodnom pokusu provenijencija. Šumarski list, CXXXIX (11–12): 521–533. (Ballian_et_al_2015)*
- 136.Stojnić S., Orlović S., Miljković D., von Wuehlisch G., 2016. Intra- and interprovenance variations in leaf morphometric traits in European Beech (*Fagus sylvatica* L.). Archives of Biological Sciences, 68(4): 781-788.* (Stojnic_et_al_2016)
- 137.Glais A., Papageorgiou A.C., Tsiripidis I., Abel-Schaad D., López-Sáez J.A., Lespez L., 2016. The relationship between vegetation and modern pollen assemblages on Mount Paggeo (NE Greece). Lazaroa, 37: 1-19.
- 138.Ulbrichová I., Janeček V., Štícha V., Zahradník D., Kovaříková M., Topaçoglu O., 2016. Dead wood structure and volume in managed *Fagus orientalis* forests in the Black Sea region. Austrian Journal of Forest Science, 133(2): 111-138.
- 139.Nowakowska J.A., 2016. Chapter 5. Microsatellite markers in analysis of forest-tree populations. In: Abdurakhmonov I.Y. (Ed.) Biochemistry, Genetics and Molecular Biology » "Microsatellite Markers": 95-116. SBN 978-953-51-2798-7, Print ISBN 978-953-51-2797-0 (Nowakowska_2016)
- 140.Kempf M., Konnert M., 2016. Distribution of genetic diversity in *Fagus sylvatica* at the north-eastern edge of the natural range. Silva Fennica, 50 (4), article id 1663, 17 pp.* (Kempf&Konnert_2016)
- 141.Dounavi A., Netzer F., Celepirovic N., Ivanković M., Burger J., Figueroa A.G., Schön S., Simon J., Cremer E., Fussi B., Konnert M., Rennenberg H., 2016. Genetic and physiological differences of European beech provenances (*F. sylvatica* L.) exposed to drought stress. Forest Ecology and Management, 361: 226–236.*
- 142.Kandemir G.E., Tayanç Y., Çengel B., Velioglu E., 2016. Molecular phylogeny of beech (*Fagus*) populations in Turkey. Ormancılık Araştırma Dergisi (Journal of Forestry Research), 2, A, 1:4, 69-79. (Kandemir_et_al_2016).
- 143.Isajev V., Lavadinović V., Rakonjac L., Popović V., 2016. Variability and breeding of beech (*Fagus moesiaca*/Domin, Maly/Czeczott.) in Serbia. Biological Diversity and Conservation, 9/2 (S1): 47-51. *

144. Dobes C., Konrad H., Geburek T., 2017. Potential population genetic consequences of habitat fragmentation in central European forest trees and associated understorey species--an introductory survey. *Diversity*, 9 (1): 9 (doi:10.3390/d9010009)
145. Alexandrov A., Dobrev R., 2011. The state of the world's forest genetic resources. Country Report Bulgaria, FAO, Rome, 60 pp.
146. Цавков Е., 2017. Морфологична и генетична изменчивост на дъбове от секция *Robur Reichenb.* в България. Дисертация, С., ЛТУ, 155 с.
147. Karadžić B., 2018. Beech forests (order *Fagetalia sylvaticae* Pawlowski 1928) in Serbia. *Botanica Serbica*, 42(1): 91-107. (Karadzic_2018)*
148. Szasz-Len A.-M., Konnert M., 2018. Genetic diversity in European beech (*Fagus sylvatica* L.) seed stands in the Romanian Carpathians. *Annals of Forest Research*, 61(1): 65-80.*
149. Ivetić V., Kerkez I., Denić I., Devetaković J., 2018. Variability of beech cupules in Serbia. *Reforesta*, 5: 27-32. (Ivetic_et_al_2018)
150. Felbermeier B., Marvie Mohadjer M.R., 2014. *Fagus orientalis*. In: *Enzyklopädie der Holzgewächse: Handbuch und Atlas der Dendrologie*, <https://doi.org/10.1002/9783527678518.ehg2012012>.
151. Tzonev R., 2011. The beech forests in Bulgaria – classification, ecology and nature conservation problems. In: Knapp H.D., Fichtner A. (Eds.). *Beech Forests. Joint Natural Heritage of Europe*. BfN Skripten 297: 137-148.
152. Varsamis G., Papageorgiou A.C., Merou T., Takos I., Malesios C., Manolis A., Tsiripidis I., Gailing O., 2019. Adaptive diversity of beech seedlings under climate change scenarios, *Frontiers in Plant Science*, doi: 10.3389/fpls.2018.01918*
153. Müller M., Lopez P.A., Papageorgiou A.C., Tsiripidis I., Gailing O., 2019. Indications of genetic admixture in the transition zone between *Fagus sylvatica* L. and *Fagus sylvatica* ssp. *orientalis* Greut. & Burd. *Diversity*, 11, 90.*

10. Zhelev P., 1994. Possibilities for *Aucuba japonica* Thunb. propagation for the needs of landscape design. In: Iliev I., Alexandrov P., Denkova S., and Zhelev P. (eds.). *IPPS in Bulgaria. Propagation of decorative plants*, pp. 7-10.

Цитирана в:

154. Илиев И., 2002. Генетика и селекция на декоративните растения. С., Sejani Publ. House, 336 pp.
155. Милев М., Александров П., Петкова К., Илиев Н., 2004. Посевни материали от широколистни дървесни видове.

11. Gömöry D., Yakovlev I., Zhelev P., Jedináková J., and Paule L., 2001. Genetic differentiation of oak populations within the *Quercus robur/Quercus petraea* complex in the Central and Eastern Europe. *Heredity*, 86 (5): 557-563

Цитирана в:

156. Pospíšková M., 2002. DNA polymorfismus: obecné využití se zaměřením na metodu mikrosatelitů a DNA polymorfismus u topolu a dubu. *Acta Průhoniana*, 73: 60-72. (Acta Pruhoniana 2002-73)
157. Илиев И., 2002. Генетика и селекция на декоративните растения. С., Sejani Publ. House, 336 pp.
158. SAINTAGNE C., 2003. Distribution des régions génomiques différenciant deux espèces proches: le chêne sessile (*Quercus petraea*) et le chêne pédonculé (*Q. robur*). Université Henri Poincaré, Nancy, 142 pp. + Annexes
159. Хинков Г., 2004. Разпространение и екотипovo разнообразие на обикновения дъб (*Quercus robur* L.) в Средна Дунавска Равнина. Дисертация, С. Институт за гората – БАН
160. Osman A, Jordan B, Lessard PA, Muhammad N, Rosli Haron M, Riffin NM, Sinskey AJ, Rha CK, Housman DE, 2003. Genetic Diversity of *Eurycoma longifolia* Inferred from Single Nucleotide Polymorphisms. *Plant Physiology*, 131,: 1294–1301. * (Osman_2003)
161. Rusanen M, Vakkari P, Blom A, 2003. Genetic structure of *Acer platanoides* and *Betula pendula* in northern Europe. *Can. J. For. Res.* 33: 1110–1115. *(Rusanen)
162. COART E., 2003. Molecular contributions to the conservation of forest genetic resources in Flanders: Genetic diversity of *Malus sylvestris*, *Quercus spp.* and *Carpinus betulus*. Ph. D. thesis, University of Gent, Belgium, 187 pp. (Coart_thesis)

163. MUIR G, LOWE AJ, FLEMING CC, VOGL C, 2004. High Nuclear Genetic Diversity, High Levels of Outcrossing and Low Differentiation Among Remnant Populations of *Quercus petraea* at the Margin of its Range in Ireland. *Annals of Botany* 93: 691-697.* (Muir_ANN_BOT_2004)
164. Scotti-Saintagne C., Mariette S., Porth I., Goicoechea P. G., Barreneche T., Bodénès C., Burg K., and Kremer A., 2004. Genome Scanning for Interspecific Differentiation Between Two Closely Related Oak Species [*Quercus robur* L. and *Q. petraea* (Matt.) Liebl.]. *Genetics*, 168: 1615-1626.* (Oak_Genome)
165. Ducci F., Proietti R., Cantiani P., 2002-2004. Struttura genetica e sociale in un ceduo di cerro in conversione. *Annali de Istituto Sperimentale per la Selvicoltura*, Vol. 33, 2002-2004.: 143-158. (Ducci_2004)
166. MUIR G., SCHLOTTERER C, 2005. Evidence for shared ancestral polymorphism rather than recurrent gene flow at microsatellite loci differentiating two hybridizing oaks (*Quercus* spp.). *Molecular Ecology*, 14: 549–561.*
167. González-Rodríguez A, Arias D M, Oyama K, 2005. Genetic variation and differentiation of populations within the *Quercus affinis* – *Quercus laurina* (Fagaceae) complex analyzed with RAPD markers. *Canadian Journal of Botany*, 83(2): 155-162. * (Quercus_laurina)
168. Belletti, P., Leonardi, S., Monteleone, I., Piovani, P., 2005. Allozyme variation in different species of deciduous Oaks from northwestern Italy. *Silvae Genetica*, 54(1): 9-16.* (Belletti_2005)
169. Roleček J., 2005. Vegetation types of dry-mesic oak forests in Slovakia. *Preslia, Praha*, 77: 241–261.* (Roleček_Vegetation_Slovakia)
170. LEXER C, KREMER A, PETIT RJ, 2006. Shared alleles in sympatric oaks: recurrent gene flow is a more parsimonious explanation than ancestral polymorphism. *Molecular Ecology*, 15 (7): 2007-2012.* (Lexer_et_al_2006)
171. MUIR G, SCHLÖTTERER C, 2006. Moving beyond single-locus studies to characterize hybridization between oaks (*Quercus* spp.). *Molecular Ecology*, 15 (8): 2301-2304.* (Muir_Schlotterer_2006)
172. Vakkari P, Blom A, Rusanen M, Raisio J, Toivonen H, 2006. Genetic variability of fragmented stands of pedunculate oak (*Quercus robur*) in Finland. *Genetica*, 127 (1-3): 231-241.* (Vakkari_et_al_2006)
173. Schiller G., Shklar G, Ungar E.D., Al-Omari A., Zyadin A.F., Korol L., 2006. Genetic diversity assessment by random amplified polymorphic DNA of oaks: 3. *Quercus calliprinos* Webb. in Israel and Jordan. *Israel Journal of Plant Sciences*, 54: 137–148.*
174. Gugerli F., Walser J.-C., Dounavi K., Holderegger R., Finkeldey R., 2007. Coincidence of Small-scale Spatial Discontinuities in Leaf Morphology and Nuclear Microsatellite Variation of *Quercus petraea* and *Q. robur* in a Mixed Forest. *Annals of Botany*, 99: 713-722.* (Gugerli_Quercus)
175. Curtu A.L., Gailing O., Leinemann L., Finkeldey R., 2007. Genetic Variation and Differentiation Within a Natural Community of Five Oak Species (*Quercus* spp.). *Plant biology (Stuttgart)*, 9: 116-126. * (Curtu2007)
176. Gray M.C., 2007. An investigation into the role of genetics in the tolerance of Texas live oaks to *Ceratocystis fagacearum*. Ph.D. thesis, Texas A&M University, 149 pp. (GRAY-DISSERTATION)
177. ROLEČEK J., 2007. VEGETACE SUBKONTINENTÁLNÍCH DOUBRAV VE STŘEDNÍ A VÝCHODNÍ EVROPE. Ph.D. thesis, Masarykova Univerzita, Brno, 194 pp. + Appendices (Roleček_PhD)
178. Cotti C., 2008. Molecular markers for the assessment of genetic variability in threatened plant species. Ph.D. thesis, Department of Experimental Evolutionary Biology FACULTY OF MATHEMATICAL, PHYSICAL AND NATURAL SCIENCES, Università degli Studi di Bologna, 126 pp. (cotti_claudia_tesi)
179. Zwaduch P, Lewandowski A, 2008. Preliminary research on isoenzyme variability of oaks in the provenance experiment in the Milicz Forest District. *SYLWAN*, 152 (10): 27-35. (Zwaduch&Lewandowski)
180. Chokchaichamnankit P, Anamthawat-Jonsson K, Chulalaksananukul W., 2008. Chromosomal mapping of 18S-25S and 5S ribosomal genes on 15 species of Fagaceae from Northern Thailand. *SILVAE GENETICA*, 57(1): 5-13.* (Fagaceae_Thailans)
181. Lepais O., 2008. Dynamique d'hybridation dans le complexe d'espèces des chênes blancs européens. Ph.D. thesis, Univ. Bordeaux, 234 pp. + Annexes. (Lepais_PhD)
182. Steinman H., 2008. Tree pollens. Allergy – Which allergens. Phadia AB, 186 pp. ISBN 91-973440-5-2.
183. Madariaga B., 2009. Untersuchung der genetischen Diversität und Differenzierung innerhalb und zwischen Populationen der Stiel- (*Quercus robur* L.) und der Traubeneiche (*Q. petraea* (Matt.) Liebl.) in Europa. Ph.D. thesis, University of Freiburg, 81 pp. (Madariaga_thesis_2009)
184. Mir C, Jarne P, Sarda V, Bonin A, Lumaret R, 2009. Contrasting nuclear and cytoplasmic exchanges between phylogenetically distant oak species (*Quercus suber* L. and *Q. ilex* L.) in Southern France: inferring crosses and dynamics. *PLANT BIOLOGY*, 11 (2): 213-226.*

185. Fortini P., Viscosi V., Maiuro L., Fineschi S., Vendramin G.G., 2009. Comparative leaf surface morphology and molecular data of five oaks of the subgenus *Quercus* Oerst (Fagaceae). *Plant biosystems*, 143 (3): 543-554. *
186. Curtu A.L., Șofletea N., Toader A.-V., Enescu M., Moldovan C., Chesnoiu E.-N., 2009. Stejarul brumăriu: specie sau unitate intraspecifică că a stejarului pedunculat? *Revista Pădurilor*, 124 (5): 24-30. (in Romanian) (Curtu2009)
187. Neophytou C., Aravanopoulos F., Fink S., Dounavi A., 2010. Detecting interspecific and geographic differentiation patterns in two interfertile oak species (*Quercus petraea* (Matt.) Liebl. and *Q. robur* L.) using small sets of microsatellite markers. *Forest Ecology and Management*, 259(10): 2026-2035. (Neophytou_2010)
188. Slezák M., Petrášová A., 2010. Oak forest vegetation in the northern part of the Štiavnické vrchy Mts (Central Slovakia). *HACQUETIA* 9/2: 221–238. (slezak)
189. Neophytou C., 2010. A study of genetic differentiation and hybridization among oak species with divergent ecological and evolutionary profiles. Ph.D. thesis, Albert-Ludwigs-Universität, Freiburg im Breisgau, Germany, 58 pp. (Neophytou_2010_Dissertation_Oak_Hybridization)
190. Стойко С.М., Делеган І.В., 2010. Науковий внесок словацького вченого, доктора наук, професора Ладіслава Пауле в лісівництво, лісову генетику та селекцію. Наукові праці Лісівничої академії наук України : збірник наукових праць, РВВ НЛТУ України, Львів, Вип. 8.: 202-205. (Stoyko_Paule)
191. Vidalis A., 2010. Patterns of nucleotide variation and gene-associated SNP analysis in a *Quercus* spp. forest at Isocitrate Dehydrogenase genes. Ph.D. thesis, Georg-August University of Göttingen, 98 pp. (Vidalis_PhD)
192. Curtu A.L., Șofletea N., Toader A.V., Enescu M.C., 2011. Leaf morphological and genetic differentiation between *Quercus robur* L. and its closest relative, the drought-tolerant *Quercus pedunculiflora* K. Koch. *Annals of Forest Science*, 68 (7): 1163-1172.* (Curtu_2011)
193. Guichoux E., 2011. Prédiction de la qualité des bois de chêne pour l'élevage des vins et des alcools: comparaison des approches physicochimiques, sensorielles et moléculaires. Ph.D. thesis, L'Université de Bordeaux 1, 150 pp. + Annexes. (GUICHOUX_ERWAN_2011)
194. Vidalis A., Curtu A. L., Finkeldey R., 2013. Novel SNP development and analysis at a NADP⁺-specific IDH enzyme gene in a four species mixed oak forest. *Plant Biology*, 15, Suppl. 1: 126-137.*
195. Ardi M., Rahmani F., Siami A., 2012. Genetic variation among Iranian oaks (*Quercus* spp.) using random amplified polymorphic DNA (RAPD) markers. *African Journal of Biotechnology*, 11(45): 10291-10296. (Ardi et al)
196. Bobinac M, Batos B, Miljković D, Radulović S., 2012. Polycyclism and phenological variability in the Common Oak (*Quercus robur* L.). *Arch. Biol. Sci.*, Belgrade, 64 (1): 97-105. (Bobinac_et_al_2012)
197. Jones RC, Steane DA, Lavery M, Vaillancourt RE, Potts BM, 2012. Multiple evolutionary processes drive the patterns of genetic differentiation in a forest tree species complex. *Ecology and Evolution*, 3(1): 1–17. (Jones_2012)
198. Alexandrov A., Dobrev R., 2012. State of forest genetic resources in Bulgaria. *Nauka za Gorata*, 1-2: 1-22. (Alexandrov&Dobrev_2012)
199. Lagache L., 2012. Hybridation et dynamique de la spéciation chez les chênes sessile (*Quercus petraea*) et pédonculé (*Quercus robur*). Ph.D. thesis, UNIVERSITE DE BORDEAUX 1, 209 pp. (LAGACHE_LELIA_2012.pdf)
200. López-Villalta J.S., 2014. Intermediate geographic range facilitates speciation in European tree species. *Israel Journal of Ecology & Evolution*, 60(1): 18-28. (DOI:10.1080/15659801.2014.936135)*
201. Ducci F., Proietti R., Carone G., Apuzzo S., 2010. First surveys on genetic variability and structure of field maple (*Acer campestre* L.) in natural and managed populations in the landscape of central and southern Italy. *Annals of Silvicultural Research*, 36:125-138. (Ducci_2010)
202. Alikhani L, Rahmani M.S., Shabani N., Badakhshan H., Khadivi-Khub A., 2014. Genetic variability and structure of *Quercus brantii* assessed by ISSR, IRAP and SCoT markers. *Gene*, 552: 176–183.* (Alikhani_et_al_2014)
203. Hautsalo J., Mathieu P., Elshibli S., Vakkari P., Raisio J., Pulkkinen P. (2015). Variation in height and survival among northern populations of pedunculate oak (*Quercus robur* L.): results of a 13-year field study. *Silva Fennica* vol. 49 no. 2 article id 1274. 12 p.* (Hautsalo_et_al_2015)
204. Stojnić S., Trudić B., Galović V., Šimunovački Đ., Đorđević B., Rađević V., Orlović S., 2014. Očuvanje genetičkih resursa Hrasta lužnjaka (*Quercus robur* L.) na području javnog preduzeća „Vojvodinašume“. *Topola/Poplar* No 193/194: 47-71. (Stojnic_et_al_2014)
205. Khadivi-Khub A., Shabani N., Alikhani L., Rahmani M.-S., 2015. Genotypic analysis and population structure of Lebanon oak (*Quercus libani* G. Olivier) with molecular markers. *Tree Genetics and Genomes*, 11: 102. (<https://doi.org/10.1007/s11295-015-0935-1>)*

206. Neophytou C., 2015. Wirkt sich menschliche Bewirtschaftung auf das Erbgut der Eichen am Oberrhein aus? Forstarchiv, 86(6): 183-193. (Neophytou_Forstarchiv_2015)
207. Żukowska W.B., Wachowiak W., 2016. Utility of closely related taxa for genetic studies of adaptive variation and speciation: Current state and perspectives in plants with focus on forest tree species. Journal of Systematics and Evolution, 54: 17-28.*
208. Coutinho J.P., Carvalho A., Martin A., Ribeiro T., Morais-Ceclio L., Lima-Brito J., 2016. Oak ribosomal DNA: characterization by FISH and polymorphism assessed by IGS PCR-RFLP. Plant Systematics and Evolution, 302: 527-544.* (Coutinho_et_al)
209. Eriksson G., 2015. *Quercus petraea* and *Quercus robur*: recent genetic research. Uppsala-Ljubljana, 102 pp. (Eriksson_2015)
210. Viciani D., Gennai M., Lastrucci L., Gabellini A., Armiraglio S., Caccianiga M., Andreis C., Foggi B., 2016. The *Quercus petraea*-dominated communities in Italy: Floristic, coenological and chorological diversity in an European perspective. Plant BioSystems, 150(6): 1376-1394.*
211. Apostol E. N., Curtu A. L., Daia L.M., Apostol B., Dinu C. G., Şofletea N., 2017. Leaf morphological variability and intraspecific taxonomic units for pedunculate oak and grayish oak (genus *Quercus* L., series *Pedunculatae* Schwz.) in Southern Carpathian Region (Romania). Science of the Total Environment, 609: 497-505.
212. Alors D., Dal Grande F., Cubas P., Crespo A. Schmitt I. Molina C., Divakar P. K., 2017. Panmixia and dispersal from the Mediterranean Basin to Macaronesian Islands of a macrolichen species. Scientific Reports, 7: 40879 | DOI: 10.1038/srep40879. *Neophytou 2015
213. Alexandrov A., Dobrev R., 2011. The state of the world's forest genetic resources. Country Report Bulgaria, FAO, Rome, 60 pp.
214. Цавков Е., 2017. Морфологична и генетична изменчивост на дъбове от секция *Robur* Reichenb. в България. Дисертация, С., ЛТУ, 155 с.
215. Suman S., Kapur P., Sagar R., 2017. Phytodiversity potential exploration through micropropagation. In: Dwivedi A.K., Srivastava M., Pandey V.N. (Eds.). Biotic Potential and Abiotic Stress. Special Reference to Plants. LAP Lambert Academic Publishing: 284-306. (ISBN 978-3-8454-1211-5)
216. Burczyk J., Chybicki I., Trojankiewicz M., 2018. High genetic diversity promotes a common-garden trial of *Quercus robur* as a potential seed source. Dendrobiology, 79(1): 1-9.
217. Габитова А. А., 2012. Дуб черешчатый (*Quercus robur* L.) на Южном Урале. Диссертация, Уфа, 152 с.
218. Holec J., Kunca V., Ševčíková H., Dima B., Kříž M., Kučera T., 2018. *Pluteus fenzi* (Agaricales, Pluteaceae) – taxonomy, ecology and distribution of a rare and iconic species. Sydowia, 70: 11-26. (DOI 10.12905/0380.sydowia70-2018-0011) (02-Sydowia-70_Holec)

12. Zhelev P., Gömöry D., and Paule L., 2002. Inheritance and linkage of allozymes in a Balkan endemic, *Pinus peuce* Griseb. Journal of Heredity, 93: 60-63.

Цитирана в:

219. Илиев И., 2002. Генетика и селекция на декоративните растения. С., Sejani Publ. House, 336 pp.
220. Seoane, C. E. S.; Sebbenn, A. M., 2004. Herança genética e desequilíbrio de ligação em locos de isoenzimas em *Esenbeckia leiocarpa*. Revista Instituto Florestal, São Paulo, v. 16, n. 1, p. 57-63. (heranca-genetica)
221. Sebbenn, A. M., 2004. Herança e ligação em locos de isoenzimas em *Genipa americana* L. Revista Instituto Florestal, São Paulo, v. 16, n. 1, p. 65-72. (heranca-e-ligacao)
222. Ribas L.A., Sebbenn, A. M., 2004. Herança e desequilíbrio de ligação em locos de isoenzimas de *Trema micrantha*. Revista Instituto Florestal, São Paulo, v. 16, n. 1, p. 73-81. (heranca-e-desequilíbrio)
223. Sebbenn, A. M., Seoane, C. E. S., 2004. Herança e ligação em isoenzimas de *Tabebuia cassinoides*. Rev. Inst. Flor., São Paulo, v. 16, n. 2.: 137-145. (tabebuia)
224. Политов Д.В., 2007. Генетика популяций и эволюционные взаимоотношения видов сосновых (сем. Pinaceae) Северной Евразии. Диссертация (дбн), М., Институт Общей Генетики имени Вавилова, 432 с. (Politov_DSc)
225. Белоконь М.М., 2007. Генетическая структура популяций сосны корейской и сосны кедровой европейской и родственные связи видов секции *Strobus* рода *Pinus*. Диссертация (кбн), М., ИОГЕН им. Вавилова, РАН, 150 с. (Belokon_PhD)

226. Добрев Р., 2007. Количественогенетични и селекционни изследвания на представителни произходи на бялата мурра (*Pinus peuce* Grsb.) в България. Дисертация, Институт за гората – БАН, С.
227. Siregar I.Z., Yunanto T., 2010. The genetics of glutamate oxaloacetate transaminase (GOT) in *Pinus merkusii* Jungh. et de Vriese. Biodiversitas, 11(1): 5-8. (Siregar_Pinus merkusii)
228. Стойко С.М., Делеган І.В., 2010. Науковий внесок словацького вченого, доктора наук, професора Ладіслава Пауле в лісівництво, лісову генетику та селекцію. Наукові праці Лісівничої академії наук України : збірник наукових праць, РВВ НЛТУ України, Львів, Вип. 8.: 202-205. (Stoyko_Paule)
229. Sideri E., Scaltsoyiannes V., Tsaktsira M., 2011. Estimation of the genetic variability in the Greek natural populations of *Pinus peuce*. In: 15-th Panhellenic Forestry Conference, Karditsa, 16-19.10.2011: 127-137. (in Greek with English summary) (hellenic_society_2011)
230. Miaoulis M., Tsaktsira M., 2011. Diversity analysis among natural populations of Balkan pine or five-needle pine (*Pinus peuce*) using molecular markers. In: 15-th Panhellenic Forestry Conference, Karditsa, 16-19.10.2011: 244-253. (in Greek with English summary) (hellenic_society_2011)
231. Alexandrov A., Dobrev R., 2012. State of forest genetic resources in Bulgaria. Nauka za Gorata, 1-2: 1-22. (Alexandrov&Dobrev_2012)
232. Voichița C., Helepciuc F., Holobiuc I., 2013. The use of isozymes markers for the characterization of *Convolvulus persicus* L. individuals belonging from Sulina population. Muzeul Olteniei Craiova. Oltenia. Studii și comunicări. Științele Naturii. Tom. 29, No. 2: 53-57. (06_Voichita)
233. Nikolić B., Bojović S., Marin P.D., 2016. Morpho-anatomical traits of *Pinus peuce* needles from natural populations in Montenegro and Serbia. Plant Biosystems, 150(5): 1038-1045.*
234. Bachmann M., Rommel D., Stimm B., 2015. Growth and Performance of Macedonian pine (*Pinus peuce* Griseb.) in Bavaria against the backdrop of climate change. Forestry Ideas, 21(2): 173-188.
235. Hajdari A., Mustafa B., Nebija D., Selimi H., Veselaj Z., Breznica P., Quave C.L., Novak J., 2016. Essential oil composition of *Pinus peuce* Griseb. needles and twigs from two national parks of Kosovo. The Scientific World Journal, vol. 2016, Article ID 5393079, 9 pp. (Hajdari_et_al_2016)
236. Holobiuc I., Voichița C., Cătăna R., 2015. *In vitro* conservation of the critically endangered taxon *Convolvulus persicus* L. and regenerants evaluation. Muzeul Olteniei Craiova. Oltenia. Studii și comunicări. Științele Naturii. Tom. 31, No. 2: 51-59.
237. Mori E.S., Sebbenn A.M., de Sousa Lima J.F., Guries R.P., 2016. Herança e desequilíbrio de ligação em locos isoenzimáticos de *Peltophorum dubium*. Revista Agri-Environmental Sciences, Palmas-TO, v. 2, n. 1: 25-36. (Mori_et_al_2016)

13. Желев П., 2000. Отново за нашите дъбове. Гора, 8: 10-11.

Цитирана в:

238. Хинков Г., 2004. Разпространение и екотипovo разнообразие на обикновения дъб (*Quercus robur* L.) в Средна Дунавска Равнина. Дисертация, С. Институт за гората – БАН
239. Милев М., Александров П., Петкова К., Илиев Н., 2004. Посевни материали от широколистни дървесни видове.
240. Благоева Н., Стоянов Н., Митев П., Спасов Хр., Цавков Е., Мелник И., 2012. Изследование влияния различных видов древесины на физико-химические показатели вина сорта Мерло после выдержки. Донецкий национальный университет економіки і торгівлі, Тематичний збірник наукових праць, 2012: 3-10.
241. Цавков Е., 2017. Морфологична и генетична изменчивост на дъбове от секция *Robur Reichenb.* в България. Дисертация, С., ЛТУ, 155 с.

14. Димова Д., Цавков Е., Желев П., 2002. Забележителните растения на Национален Парк Пирин. Геософт, С., 120 с.

Цитирана в:

242. Милев М., Александров П., Петкова К., Илиев Н., 2004. Посевни материали от широколистни дървесни видове.
243. Петрова А., Владимиров В., Димитрова Д., Иванова Д., 2005. Съвременno състояние на биологичното разнообразие при папратовидни и семенни растения в България. В: Петрова А. (гл. ред.) Съвременno състояние на биологичното разнообразие в България – перспективи и проблеми: 75-104.

244. Асьов Б., Петрова А.С., Димитров Д., Василев Р., 2006. Конспект на висшата флора на България. Хорология и флорни елементи (III изд.). С., БФБ, 452 с.

15. Желев П., Гладков Т., 2004. Зеленото богатство на НП Централен Балкан. Геософт, С., 120 с.

Цитирана в:

245. Петрова А., Владимиров В., Димитрова Д., Иванова Д., 2005. Съвременно състояние на биологичното разнообразие при папратовидни и семенни растения в България. В: Петрова А. (гл. ред.) Съвременно състояние на биологичното разнообразие в България – перспективи и проблеми: 75-104.

246. Михайлов П., 2005. Нова полезна книга за Централния Балкан. Обучението по география, 1: 71.

247. Топалова-Жежиха Л., Милушев В., Маринова Т., Тодорова С., 2013. Интерпретационна програма и ръководство за интерпретация на флората в Природен Парк „Витоша”. С., 233 с.

16. Zhelev P., Ekberg I., Eriksson G., and Norell L., 2003. Genotype x environment interactions in four full-sib progeny trials of *Pinus sylvestris* (L) with varying site indices. **Forest Genetics**, 10(2): 93-102.

Цитирана в:

248. Andersson B, Fedorkov A, 2004. Longitudinal Differences in Scots pine Frost Hardiness. *Silvae Genetica* 53, 2: 76-80. * (Anderson&Fedorkov)

249. Jansons Ā., 2006. Saimnieciski nozimigo koku sugu (parasta priede, parasta egle, karpainais berzs) un apses selekcijas merku un selekcijas darba programmas aktualizacija a/s „Latvijas valsts meži”. Report. (Project Leader: A. Jansons) , 84 pp. (latvian_report)

250. Jansons Ā., 2007. Scots pine in Latvian and Swedish forest stands and seed orchard progeny. Comparative plantations in Sweden. Data analysis, a summary of the findings of selection effects and comparison Latvian and Swedish clones in Sweden. (Jansons_2007)

251. Jansons Ā., 2008a. Theoretical basis and perspectives of Scots pine (*Pinus sylvestris* L.) in Latvia. Ph.D. thesis, Jelgava, LLU, 110 pp. (in Latvian) (Aris_Jansons_thesis)

252. Jansons Ā., 2008b. Genotype-environment interaction in Latvian Scots pine growth and quality traits and its impact on progeny testing. In: Gaile Z. et al. (eds.) Research for Rural Development 2008. Annual 14th International Scientific Conference Proceedings. Jelgava, LLU: 128-136. (Jansons_2008b)

253. Miura M., Nomura T., Kawasaki H., Fujisawa Y., 2009. Survival rate and tree height of sugi (*Cryptomeria japonica*) plus trees in different seed distribution zones of Fukushima and Gifu prefectures. *Journal of Japanese Forestry Society*, 91: 318-325. (in Japanese with English summary) (Miura&Nomura_2009)

254. Persson T., Andersson B., Ericsson T., 2010. Relationship between Autumn Cold Hardiness and Field Performance in northern *Pinus sylvestris*. *Silva Fennica*, 44(2): 255-266. * (Persson_Pinus_sylvestris)

255. Abrahamsson S., 2011. Genetic Dissection of Quantitative Traits in Scots Pine. Ph.D. thesis, SLU, Umea, 66 pp. (Abrahamsson_S_110915)

256. Mullin T.J., Anderson B., Bastien J.-C., Beaulieu J., Burdon R., Dvorak W.S., King J.N., Kondo T., Krakowski J., Lee S.J., McKeand S.E., Pâques L., Raffin A., Russel J.H., Skroppa T., Stoehr M., Yanchuk A., 2011. Economic importance, breeding objectives and achievements. In: Plomion C., Bousquet J., Kole C. (eds.) Genetics, genomics and breeding of conifers. Science Publishers, CRC Press, Taylor & Francis group: 40-127.

257. Jansons Ā., 2012. Genetic parameters and their calculation. *Sillava*, Slalaspils, 30 pp. (Jansons_2012)

258. Neimane U., Baumanis I., Jansons Ā., 2012. Growth comparison of vegetative and generative progenies of Scots pine (*Pinus sylvestris* L.). *Mežzinātne*, 26(59): 102-119. (in Latvian with English and Russian summary). (Neimane_et_al_2012)

259. Hong Z., Fries A., Wu H.H., 2014. High negative genetic correlations between growth traits and wood properties suggest incorporating multiple traits selection including economic weights for the future Scots pine breeding programs. *Annals of Forest Science*, 71:463-472..* (Hong_et_al_2014)

260. Alan M., Ezen T., Öztürk H., Şiklar S., Derilgen S.I., 2011. Scots Pine (*Pinus sylvestris* L.) Progeny Trials in Inner Anatolian West Breeding Zone (1300-1700 m) (Tenth Year Results). Technical Bulletin No 30. Forest Tree Seeds and Tree Breeding Research Institute Directorate, Ankara, Turkey, 47 pp. (in Turkish with English summary). (Alan_et_al_2011)

261. Ruotsalainen S., Persson T., 2013. Scots pine – *Pinus sylvestris* L. In: Mulin T.J., Lee S.J. (eds.). Best practice for tree breeding in Europe: 49-63. (best-practice-hela-low)

262. Persson T., Ericsson T., 2014. Genotyp-miljösamspel hos tall i norra Sverige. Arbetsrapport från Skogsforsk No 842-2014, 12 pp. (in Swedish, with Abstract in English) (genotyp-miljösamspel)
263. Hong Z., Fries A., Wu H.H., 2015. Age trend of heritability, genetic correlation, and efficiency of early selection for wood quality traits in Scots pine. *Canadian Journal of Forest Research*, 45(7): 817-825.*
264. Jansons Ā., Donis J., Danusevicius D., Baumanis I., 2015. Differential analysis for next breeding cycle for Norway spruce in Latvia. *Baltic Forestry*, 21(2): 285-297. (Jansons_et_al_2015)*
265. Cappa E.P., Yanchuk A.D., Cartwright C.V., 2015. Estimation of genetic parameters for height using spatial analysis in *Tsuga heterophylla* full-sibling family trials in British Columbia. *Silvae Genetica*, 64(1/2): 59-73. (Cappa_et_al_2015)*
266. Бессчетнова Н.Н., 2016. Сосна обыкновенная (*Pinus sylvestris* L.). Эффективность отбора плюсовых деревьев: монография. Нижний Новгород: Нижегородская ГСХА, 464 с.

17. Yurukov S, Zhelev P., 2001. The woody flora of Bulgaria: a review. Schweizerische Zeitschrift für Forstwesen, 152, No 2: 52-60.

Цитирана в:

267. Raev I., Dimitrov D., 2006. Country report – Bulgaria. In: Cost Action E27. Protected Forest Areas in Europe – Analysis and harmonization (PROFOR). Bundesforschungs- und Ausbildungszentrum für Wald, Naturgefahren und Landschaft (BWF): 41-53. (Raev&Dimitrov)
268. Пеев Г., 2005. Проучване на дендрофлората на Чепинската котловина и на поречието на река “Елидере”. *Наука за гората*, 40 (3): 51-62.
269. Tashev A.N., Tsavkov E.I., 2008. Medicinal plants of the Bulgarian dendroflora. *Phytologia Balcanica*, 14(2): 269-278. (Tashev_&_Tsavkov)
270. Simeone M.C., Pireddal R., Papini A., Vessella F., Schirone B., 2013. Application of plastid and nuclear markers to DNA barcoding of Euro-Mediterranean oaks (*Quercus*, Fagaceae): problems, prospects and phylogenetic implications. *Botanical journal of the Linnean Society*, 172(4): 478-499.*
271. Симов Н.П., 2013. Дендробиотните хетероптери (Hemiptera: Heteroptera), свързани с иглолистните дървесни растения от семействата Pinaceae, Cupressaceae и Taxaceae в България. Дисертация, С., НПИМ-БАН, 171 с + Приложения.
272. Природен парк „Златни пясъци“ – зелената перла на Варна. ПП „Златни пясъци“ 2013 г., 144 с.
273. Demeter Z., Kanalas P., Máthé C., Cseke K., Szöllösi E., M-Hamvas M., Jámbrik K., Kiss Z., Mészáros I., 2014. Osmotic stress responses of individual white oak (*Quercus* section, *Quercus* subgenus) genotypes cultured in vitro. *Journal of Plant Physiology*, 171 (2): 16–24. *
274. Demeter Z., 2014. The use of in vitro cultures in the study of osmotic stress tolerance of individual white oak (*Quercus* section, *Quercus* subgenus) genotypes. Ph.D. thesis, University of Debrecen, 73 pp. (DZdisszertacio_t)
275. Sovrljic M., Vasiljevic P., Juskovic M., Maskovic P., Manojlovic N., 2014. Antimicrobial activity and HPLC analysis of *Daphne blagayana* L. (Thymeleaceae) extracts. *Praxis Medica*, 43(4): 93-97.
276. Соврлић М.М., 2016. Испитивање антимикробне и антиоксидативне активности екстракта три одабране биљне врсте рода *Daphne*. Докторска дисертација, Универзитет у Крагујевцу, 138 с. (Sovrljic_2016)
277. De Rigo D., Enescu C.M., Dourrant T.H., Caudillo G., 2016. *Quercus cerris* in Europe: distribution, habitat, usage and threats. In: San-Miguel-Ayanz, J. et al. (Eds.). *European Atlas of Forest Tree Species*. Publication Office of the European Union, Luxembourg: 148-149. ISBN: 978-92-79-36740-3. DOI: 10.2788/038466 (*Quercus_cerris*)
278. Tashev A.N., Velinova E. S., Tsavkov E.I., 2016. Melliferous plants of Bulgarian dendroflora. *Phytologia Balcanica*, 21(3): 295-302.
279. Ташев А., Цавков Е., 2015. Рилският дъб (*Quercus protoroburoides* Tashev & Tsavkov ex J. Don. & V. V.) – нов вид за дендрофлората на България. *Гора*, 9: 14-16.
280. Цавков Е., 2017. Морфологична и генетична изменчивост на дъбове от секция *Robur* Reichenb. в България. Дисертация, С., ЛТУ, 155 с.
281. Roșca S., Bilașco S., Păcurar I., Colniță D., Fodorean I., Vescan I., Petrea D., Păcurar H., 2017. Quantitative evaluation of forest favourability using GIS database in a hill area in the Transylvania Depression, Romania *Geomatics, Natural Hazards and Risk*, 8(2): 1914–1934.*
282. Vajraktari A., 2018. Wood quality of *Quercus cerris* from Kosovo. Ph.D. thesis, University of Lisboa, 94 pp. (Agron)
283. Глогов П., Георгиева М., Павлова Д., Додев Ъ., 2018. Анализ на флората на Лозенска планина. II. Характеристика на фитогеографските елементи и реликтите. *Наука за гората*, 1: 23-38. (Glogov et al 2018)

284.Xystrakis F., Mitsios-Antonakos D., Eleftheriadou E., Dimopoulos P., Theodoropoulos K., 2019. Inter-regional beta-diversity patterns of the woody flora of Greece. *Annals of Forest Research*, DOI: 10.15287/afr.2018.1077*

18. Slavov G.T., Zhelev P., 2004. Allozyme variation, differentiation, and inbreeding in populations of *Pinus mugo* in Bulgaria. *Canadian Journal of Forest Research*, 34 (12): 2611-2617.

Цитирана в:

- 285.Monteleone, I., Ferrazzini, D. & Belletti, P. 2006. Effectiveness of neutral RAPD markers to detect genetic divergence between the subspecies *uncinata* and *mugo* of *Pinus mugo* Turra. *Silva Fennica* 40(3): 391–406.* (Klek_Italy)
- 286.Bilgen B.B., Kaya N., 2007. Allozyme variations in six natural populations of Scots pine (*Pinus sylvestris*) in Turkey. *Biologia*, 62 (6): 697-703. * (Bilgen-Kaya_Biologia)
- 287.Hester A., Brooker R., 2007. Threatened Habitats: Marginal Vegetation in Upland Areas. In: Hester R.E., Harrison R.M. (eds.) *Biodiversity Under Threat. Series: Issues in Environmental Science and Technology*, No. 25, The Royal Society of Chemistry Publishing: 107-134. (Hester_2007)
- 288.Beranová M., 2008. [Použití molekulárních markerů v populační genetice a taxonomii na modelu *Pinus mugo*]. Application of molecular markers in population genetics and taxonomy: an example with *Pinus mugo*. Ph.D. thesis, Southern Czech University, České Budějovice, 104 pp. (Beranova_PhD)
- 289.Heuertz M., Teufel J., González-Martínez S.C., Soto A., Fady B., Alía R., Vendramin G.G., 2009. Geography determines genetic relationships between species of mountain pine (*Pinus mugo* complex) in western Europe. *Journal of biogeography*, 37: 541-556.* (Heuertz_et_al_2009_pinus_mugo)
- 290.Myking T., 2009. Vanlig buskfuru/bergfuru *Pinus mugo* *Pinus uncinata* (*P. mugo* var. *arborea*). *Artsdatabankens faktaark*, No 107: utgitt 2009, side 1, 3 pp. (ISSN1504-9140) (Faktaark107)
291. Bogunić F., Siljak-Yakovlev S., Muratović E., Pustahija F., Medjedović S., 2011. Molecular cytogenetics and flow cytometry reveal conserved genome organization in *Pinus mugo* and *P. uncinata*. *Annals of Forest Science*, 68(1): 179-187.* (Bogunic_Pinus_mugo)
- 292.Maňka P., Kormuťák A., Gömöry D., 2011. Deviations from the Hardy-Weinberg equilibrium in selected Slovak populations of *Pinus mugo* Turra, *Pinus sylvestris* L. and their putative hybrid swarms. *Thaiszia - J. Bot.*, Košice, 21: 167-175. (Manka_Kormutak_Gomory_2012)
- 293.Kaya N., Bilgen B.B., 2012. Relationship between geographic proximity and genetic similarity among the natural populations of *Pinus brutia* Ten.: its implication on genetic conservation. *Pakistan Journal of Botany*, 44(3): 1047-1052.* (Kaya_Bilgen_Pinus_brutia)
- 294.Mosca E. Eckert A.J., Di Pierro E.A., Rocchini D., La Porta N., Belletti P., Neale, D.B., 2012. The geographical and environmental determinants of genetic diversity for four alpine conifers of the European Alps. *Molecular Ecology*, 21(22): 5530-5545.* (Mosca_2012)
- 295.MAŇKA, P. - KORMUŤÁK, A. - GÖMÖRY, D. 2011: Populačná rovnováha na vybraných izoenzymových lokusoch v populáciách borovice lesnej (*Pinus sylvestris* L.) a borovice horskej (*Pinus mugo* Turra). In *Dreviny vo verejnej zeleni: recenzovaný zborník z konferencie s medzinárodnou účasťou*, 17.-18. máj 2011, Nitra. Zost. Katarína Adamčíková, Marek Kobza. - Nitra : Ústav ekológie lesa SAV Zvolen, Pobočka biológie drevín Nitra, 2011, s. 133-137. ISBN 978-80-89408-12-2 (Dreviny_vo_verejnej_zeleni)
- 296.Navascues Melero M., 2005. Genetic diversity of the endemic Canary Island Pine tree *Pinus canariensis*. Ph.D. thesis, School of Biological Sciences, University of East Anglia, Norwich, 212 pp. (Navascues_2005_PhD_Thesis)
- 297.Dzialuk A., Boratyński A., Boratyńska K., Burczyk J., 2012. Geographic patterns of genetic diversity of *Pinus mugo* (Pinaceae) in Central European mountains. *Dendrobiology*, 68: 31-41.* (Dzialuk_2012)
- 298.Urushibara-Yoshino K., Takase S., 2010. Ecological changes in the Carpathian Mountains due to sheep transhumance after the Socialist Regime. *Bulletin No. 61 of the Faculty of Letters, Hosei University Repository*: 109-123. (bun61_urusi,takase[1])
- 299.Alexandrov A., Dobrev R., 2011. The state of the world's forest genetic resources. *Country Report Bulgaria*, FAO, Rome, 60 pp.
- 300.Alberto F.J., Aitken S.N., Alía R., Gonzalez-Martinez S.C., Hänninen H., Kremer A., Lefevre F., Lenormand T., Yeaman S., Whetten R., Savolainen O., 2013. Potential for evolutionary responses to climate change – evidence from tree populations. *Global Change Biology*, 19: 1645-1661.* (Alberto_2013) (Alberto_gcb12181-sup-0002-Supporting-information-references)
- 301.Wachowiak W., Boratyńska K., Cavers S., 2013. Geographical patterns of nucleotide diversity and population differentiation in three closely related European pine species in the *Pinus mugo* complex. *Botanical Journal of the Linnean Society*, 172 (2): 225-238.*

302. Celinski K., Pawlaczyk E.M., Wojnicka-Póltorak A., Chudzinska E., Prus-Głowacki W., 2013. Cross-species amplification and characterization of microsatellite loci in *Pinus mugo* Turra. *Biologia*, 68/4: 621-626.* (Celinski_2013)
303. Alexandrov A., Dobrev R., 2012. State of forest genetic resources in Bulgaria. *Nauka za Gorata*, 1-2: 1-22. (Alexandrov&Dobrev_2012)
304. Celiński K., Zbránková V., Wojnicka-Póltorak A., Głowczewska K., Hornik B., Prus-Głowacki W., 2013. Application of ISSR and SSR combined data to assess genetic diversity in Dwarf mountain pine (*Pinus mugo* Turra). In: Hudec M., Barčíková E., Csáky A., Švec P. (Eds). *SCIENTIA IUVENIS. Book of Scientific Papers*, Nitra: 85-92. (Scientiaiuvenis_BookofScientificPapers_2013)
305. Montiel-Oscuro D., Ramírez-Herrera C., Ángeles-Pérez G., López-Upton J., Antonio-López P., 2013. Variación aloenzimática y tamaño de poblaciones de Haya Mexicana (*Fagus grandifolia* subsp. mexicana) en la Sierra Madre Oriental. *Revista Fitotecnia Mexicana*, 36(4): 413-420.
306. Boratyńska K., Działuk A., Lewandowski A., Marcysiak L., Jasińska A.K., Sobierajska K., Tomaszewski D., Burczyk J., Boratyński A., 2014. Geographic distribution of quantitative traits variation and genetic variability in natural populations of *Pinus mugo* in Central Europe. *Dendrobiology*, 72:65-84.* (Boratynska_et_al_2014)
307. Celinski K., Zbrankova V., Wojnicka-Poltorak A., Chudzinska E., 2015. Biogeography and evolutionary factors determine genetic differentiation of *Pinus mugo* (Turra) in the Tatra Mountains (Central Europe). *Journal of Mountain Science*. 12(3): 549-557.* (Celinski_et_al_2015).
308. Boratynska K., Jasinska A.K., Boratynski A., 2015. Taxonomic and geographic differentiation of *Pinus mugo* complex on the needle characteristics. *Systematics and Biodiversity*, XX:XX-XX.*
309. Dzialuk A., Boratynska K., Romo A., Boratynski A., 2017. Taxonomic and geographic variation of the *Pinus mugo* complex on chloroplast microsatellite markers. *Systematics and Biodiversity*, 15(5): *
310. Zukowska W.B., Boratynska K., Wachowiak W., 2017. Comparison of range-wide chloroplast microsatellite and needle trait variation patterns in *Pinus mugo* Turra (dwarf mountain pine). *Iforest*, 10: 250-258. *
311. Zukowska W.B., Wachowiak W., 2017. Nuclear microsatellite markers reveal the low genetic structure of *Pinus mugo* Turra (dwarf mountain pine) populations in Europe. *Plant Systematics and Evolution*, 303(5): 641-651. *
312. Ahmadian M., Babaei A., Ahmadi N., Rasoli O., 2017. Genome size diversity of some species of *Cephalanthera* from Iran. *Caryologia*, 70(3): 206-210. *
313. Bilgen B.B., Kaya N., 2017. Genetic diversity among *Pinus sylvestris* L. populations and its implications for genetic conservation: comparison of nuclear and chloroplast microsatellite markers. *Fresenius Environmental Bulletin*, 26(11): 6873-6881.
314. Mitić Z.S., Nikolić J., Zlatković B., Milanovici S., Jovanović S., Nikolić B., Stojanović G., Marin P., 2018. Epicuticular waxes provide insights into chemical differentiation of natural populations of *Pinus mugo* Turra sensu stricto. *Chemistry and Biodiversity*, XX: XX-XX. *

19. Evtimov I., Gagov V., Zhelev P., 2002. Results of progeny experiments with silver fir (*Abies alba* Mill.) in Bulgaria. In: Mitteilungen aus der Forschungsanstalt für Waldökologie und Forstwirtschaft Rheinland-Pfalz, Nr. 50/03:125-130.

Цитирана в:

315. Strandby Andersen U., Prado Córdova J.P., Bräuner Nielsen U., Kollmann J., 2008. Provenance variation in germination and seedling growth of *Abies guatemalensis* Rehder. *Forest Ecology and Management*, 255 (5-6): 1831-1840.* (Abies_guatemalensis)

20. Zhelev P., and Lust N., 1999. Provenance study of Scots pine (*Pinus sylvestris* L.) in Belgium. I. Evaluation of phenotypic traits. *Silva Gandaviensis*, 64: 24-30.

Цитирана в:

316. Eriksson G., 2008. *Pinus sylvestris* – recent genetic research. Department of Plant Biology and Forest Genetics, Genetic Center, SLU, 112 pp. (Gosta_Eriksson_Psylvestris_Rec_Res)
317. Глазунов Ю.Б., Мерзленко М.Д., Мельник П.Г., 2015. Сравнительные особенности роста карельского климатипа сосны обыкновенной в условиях Подмоскovie. *Ученые записки Петрозаводского государственного университета*, No 4: 68-78.

318. Шишкина А.А., Колганихина Г.Б., 2016. Фитопатологическая оценка успешности географических культур сосны обыкновенной в Серебряноборском опытном лесничестве. Труды Санкт-Петербургского научно-исследовательского института лесного хозяйства № 3: 22-38. (Shishkina&Kolganikhina_2016)
319. Глазунов Ю.Б., Мельник П.Г., Мерзленко М.Д., 2016. Рост саратовского климатипа сосны обыкновенной в условиях Подмосквья. Аграрный научный журнал, No 9: 9-14. (Glazunov_et_al_2016)

21. Slavov G.T., Zhelev P., 2010. Salient biological features, systematics, and genetic variation of *Populus*. In: Jansson S., Bhalerao R.P., Groover A.T. (Eds.) Genetics and Genomics of *Populus*. Series: Plant Genetics and Genomics: Crops and Models, Vol. 8, Springer Verlag: 15-38.

Цитирана в:

320. Ismail M., 2010. Molecular genetic diversity among natural populations of *Populus*. Ph.D. thesis, UBC, 132 pp. (ubc_2010_fall_ismail_mohamed)
321. Ismail M., Soolanayakanahally RY, Ingvarsson PK, Guy RD, Jansson S., Silim SN, El-Kassaby YA, 2012. Comparative nucleotide diversity across North American and European *Populus* species. *Journal of Molecular Evolution*, 74 (5-6):257-272. *(Ismail_et_al_2012)
322. Macaya-Sanz D., Heuertz M., López-De-Heredia, De-Lucas A.I, Hidalgo E., Maestro C., Prada A., Alía R., González-Martínez S.C., 2012. The Atlantic-Mediterranean watershed, river basins and glacial history shape the genetic structure of Iberian poplars. *Molecular Ecology*, 21 (14): 3593-3609. *(Macaya-Sanz_et_al_2012-ME)
323. Evans LM, Allan GJ, Meneses N, Max TL, Whitham TG, 2013. Herbivore host-associated genetic differentiation depends on the scale of plant genetic variation examined. *Evolutionary Ecology*, 27: 65-81. *(Evans_2013)
324. Du Q., Wang B., Wei Z., Zhang D., Li B., 2012. Genetic Diversity and Population Structure of Chinese White Poplar (*Populus tomentosa*) Revealed by SSR Markers. *Journal of heredity*, 103(6): 853-862.*
325. Guerra FP, Wegrzyn JL, Sykes R, Davis MF, Stanton BJ, Neale DB, 2012. Association genetics of chemical wood properties in black poplar (*Populus nigra*). *New Phytologist*, 197(1): 162-176. *
326. Klintonäs M., 2012. Regulation of Phenology and the Juvenility-to-Maturity Transition in Trees. Ph.D. thesis, Swedish University of Agricultural Sciences, Umea, 104 pp. (klintenas_m_121031)
327. Rubert-Nason K.F., Holeski L.M., Couture J.J., Gusse A., Undersander D.J., Lindroth R.L., 2013. Rapid phytochemical analysis of birch (*Betula*) and poplar (*Populus*) foliage by near-infrared reflectance spectroscopy. *Analytical and Bioanalytical Chemistry*, XX: XX-XX.* (Rubert-Nason_2012)
328. Simard F., 2013. Isolement, caractérisation et évaluation de l'activité antibactérienne de dérivés de dihydrochalcones hydroxycinnamyles issus de bourgeons de *Populus balsamifera* L. These de Doctorat, L'Université du Québec à Montréal, 252 pp. (Simard_PhD)
329. Du Q., Gong C., Pan W., Zhang D., 2012. Development and Application of Microsatellites in Candidate Genes Related to Wood Properties in the Chinese White Poplar (*Populus tomentosa* Carr.). *DNA Research*, 20(1): 31-44.* (Du_et_al_2013)
330. Wei Z., Du Q., Zhang J., Li B., Zhang D., 2013. Genetic diversity and population structure in Chinese indigenous poplar (*Populus simonii*) populations using microsatellite markers. *Plant Molecular Biology Reporter*, 31: 613-632. (Wei_et_al_2013)
331. Kersten B., Pakull B., Groppe K., Lueneburg J., Fladung M., 2014. The sex-linked region in *Populus tremuloides* Turesson 141 corresponds to a pericentromeric region of about two million base pairs on *P. trichocarpa* chromosome 19. *Plant Biology*, 16(2): 411-418. *
332. Labriola M., 2014. Biodiversity management and conservation: compromise between nature and cultivation. Ph.D. thesis, Università degli studi, Firenze, 129 pp. (PhD Thesis_MLabriola)
333. Novotná K., 2013. Studium inbrední deprese v souboru příbuzných jedinců u topolu černého. Ph.D. thesis, Česká zemědělská univerzita v Praze, 123 pp. (in Czech)
334. Cushman S.A., Max T.L., Meneses N., Evans L.M., Ferrier S., Honchak B., Whitham T.G., Allan G.J., 2014. River network connectivity and climate gradients drive genetic differentiation in a riparian foundation tree. *Ecological Applications*, 24(5):1000-1014.* (<http://www.deepdyve.com/lp/ecological-society-of-america/landscape-genetic-connectivity-in-a-riparian-foundation-tree-is-lkEDqWILIB>)
335. Nowak J.S., 2012. EFFECTS OF ADAXIAL-ABAXIAL SIGNALLING ON LEAF POLARITY. Ph.D. thesis, UNIVERSITY OF BRITISH COLUMBIA, 202 pp. + appendices

336. Schilling M.P., Wolf P.G., Duffy A.M., Rai H.S., Rowe C.A., Richardson B.A., Mock K.E., 2014. Genotyping-by-Sequencing for Populus Population Genomics: An Assessment of Genome Sampling Patterns and Filtering Approaches. *PLoS One*, 9(4): e95292. * (Schilling_et_al_2014)
337. Pakull B., Kersten B., Lüneburg J., Fladung M., 2015. A simple PCR-based marker to determine sex in aspen. *Plant biology*, 17(1): 256-261. *
338. Shen D., Bo W., Xu F., Wu R., 2014. Genetic diversity and population structure of the Tibetan poplar (*Populus szechuanica* var. *tibetica*) along an altitude gradient. *BMC Genetics*, 15 (Suppl. 1): S11. * (Shen_et_al_2014)
339. Shen D., Bo W., Xu F., Jiang L., Mao K., Han Y., Wu R., 2014. Study on genetic diversity among populations in *Populus szechuanica* var. *tibetica* at different altitudes in Sejila Mountain. *Journal of Plant Genetic Resources (China)*, 15(4): 692-698. (in Chinese with English abstract) (Shen_Chinese_2014)
340. Wang Z, Du S, Dayanandan S, Wang D, Zeng Y, Zhang J., 2014. Phylogeny Reconstruction and Hybrid Analysis of *Populus* (Salicaceae) Based on Nucleotide Sequences of Multiple Single-Copy Nuclear Genes and Plastid Fragments. *PLoS ONE* 9(8): e103645. doi:10.1371/journal.pone.0103645* (wang_et_al_2014)
341. Ulyanich P., Potokina E., 2015. Molecular determination of sex in *Populus*. In: IV International Conference of Ph.D. students "MULTIDIRECTIONAL RESEARCH IN AGRICULTURE AND FORESTRY", Krakow. (ABSTRACTS_IV Conference Krakow),
342. Oubida R.W., Gantulga D., Zhang M., Zhou L., Bawa R., Holliday J.A., 2015. Partitioning of multivariate phenotypes using regression trees reveals complex patterns of adaptation to climate across the range of black cottonwood (*Populus trichocarpa*). *Frontiers in Plant Science*, 6: Article 181. * (fpls-06-00181)
343. King-Diaz B., Granados-Pineda J., Bah M., Rivero-Cruz J.F., Lotina-Hennsen B., 2015. Mexican propolis flavonoids affect photosynthesis and seedling growth. *Journal of Photochemistry and Photobiology, B: Biology*, 151: 213-220. *
344. Максимовић З.Б., 2015. Конзервација и усмерено коришћење генофонда црне тополе (*Populus nigra* L.) на подручју великог ратног острва. Докторска дисертација. Универзитет у Београду, Шумарски факултет, 213 с.
345. Brugmann T., 2016. Genetische Modifikation von SUPPRESSOR OF OVEREXPRESSION OF CONSTANS1 (SOC1), FRUITFULL (FUL) und weiterer Kandidatengene in Pappelhybriden (*Populus spec.*). Ph.D. thesis, Universität Hamburg, 221 pp. (Dissertation_Brugmann)
346. Dobhal S., 2016. Line x tester analysis in *Populus deltoides* Bartr. Ph.D. thesis, Dr. Yashwant Singh Parmar University of Horticulture And Forestry, Solan (Nauni) Hp - 173 230 India, 117 pp. (PDF Ph.D. Thesis Sneha Dobhal)
347. Kersten B., Rampant P.F., Mader M., Le Paslier M.-C., Bounon R., Berard A., Vettori C., Schroeder H., Lepié J.-C., Fladung M., 2016. Genome Sequences of *Populus tremula* Chloroplast and Mitochondrion: Implications for Holistic Poplar Breeding. *PLoS One*, 11(1): e0147209. * (Kersten_et_al_2016)
348. Kaluthota S., Pearce D.W., Evans L.M., Letts M.G., Whitham T.G., Rood S.B., 2015. Higher photosynthetic capacity from higher latitude: foliar characteristics and gas exchange of southern, central and northern populations of *Populus angustifolia*. *Tree Physiology*, 35(9): 936-948. (Kaluthota_et_al_2015)
349. Čortan D., 2015. Procena varijabilnosti prirodnih populacija crne topole (*Populus nigra* L.) na području Vojvodine primenom genetičkih markera. Ph.D. thesis, University of Belgrade, Faculty of Forestry, 213 pp. (Cortan_Dijana_PhD_2015)
350. Allwright M.R., Payne A., Emiliani G., Milner S., Viger M., Rouse F., Keurentjes J.J.B., Bérard A., Wildhagen H., Faivre-Rampant P., Polle A., Morgante M., Taylor G., 2016. Biomass traits and candidate genes for bioenergy revealed through association genetics in coppiced European *Populus nigra* (L.). *Biotechnology for Biofuels*, 9: 195. * (DOI: 10.1186/s13068-016-0603-1)
351. Cole C.T., Stevens M.T., Anderson J.E., Lindroth R.L., 2016. Heterozygosity, gender, and the growth defense trade off in quaking aspen. *Oecologia*, 181(2):381-390. * (Cole_et_al_2016)
352. Porth I., Klápště J., McKown A.D., LaMantia J., Guy R.D., Ingvarsson P.K., Hamelin R., Mansfield S.D., Ehrling J., Douglas C.J., El-Kassaby Y.A., 2015. Evolutionary quantitative genomics of *Populus trichocarpa*. *PLoS ONE*, 10(11): e0142864.
353. Pap D., Miller A.J., Londo J.P., Kovács L.G., 2015. Population structure of *Vitis rupestris*, an important resource for viticulture. *American Journal of Enology and Viticulture*, 66: 403-410. *
354. Kumari A., 2015. Identification of Molecular Markers for Gender Determination in *Populus ciliata* Wall. ex Royle. Ph.D. thesis, Shoolini University, Solan, H.P., India, 171 pp.
355. Guerra F.P., Richards J.H., Fiehn O., Famula R., Stanton B.J., Shuren R., Sykes R., Davis M.F., Neale D.B., 2016. Analysis of the genetic variation in growth, ecophysiology, and chemical and metabolomic

- composition of wood of *Populus trichocarpa* provenances. *Tree Genetics and Genomes*, 12: 6. DOI 10.1007/s11295-015-0965-8. * (Guerra_et_al_2016).
356. Otgonsuren B., Rewald B., Godbold D.L., Göransson H., 2016. Ectomycorrhizal inoculation of *Populus nigra* modifies the response of absorptive root respiration and root surface enzyme activity to salinity stress. *Flora - Morphology, Distribution, Functional Ecology of Plants*, 224: 123–129. *
357. Macaya-Sanz, D., Heuert, M., Lindtke, D., Vendramin, G. G., Lexer, C. and González-Martínez, S. C. (2016), Causes and consequences of large clonal assemblies in a poplar hybrid zone. *Molecular Ecology*, 25(21):5330-5344.* (Macaya-Sanz_et_al_2016)
358. Bothwell H.M., 2016. Landscape genetic applications for species management under global change: modeling gene flow through complex landscapes. Ph.D. thesis, Northern Arizona University
359. Bothwell H. M., Cushman S. A., Woolbright S. A., Hersch-Green E. I., Evans L. M., Whitham T. G., Allan G. J., 2017. Conserving threatened riparian ecosystems in the American West: Precipitation gradients and river networks drive genetic connectivity and diversity in a foundation riparian tree (*Populus angustifolia*). *Molecular Ecology*, 26 (19): 5114-5132. *
360. Mader M., Le Paslier M.-C., Bounon R., Bérard A., Faivre Rampant P., Fladung M., Leplé J.-C., Kersten B., 2016. Whole-genome draft assembly of *Populus tremula* x *P. alba* clone INRA 717-1B4. *Silvae genetica*, 65(2): 74-79. (Mader_et_al_2016)
361. Barker H.L., Smith D., Stanosz G., Lindroth R.L., 2016. Host genetics and environment shape fungal pathogen incidence on a foundation forest tree species, *Populus tremuloides*. *Canadian Journal of Forest Research*, 46(9): 1167-1172.* (Barker_et_al_2016)
362. Rubert-Nason K.F., Couture J. J., Gryzmala E. A., Townsend P. A., Lindroth R. L., 2017. Vernal freeze damage and genetic variation alter tree growth, chemistry, and insect interactions. *Plant, Cell & Environment*, 40 (11): 2743-2753. *
363. Zhu X.H., Cheng S.P., Liao T., Kang X.Y., 2016. Genetic diversity in fragmented populations of *Populus talassica* inferred from microsatellites: implications for conservation. *Genetics and Molecular Research*, 15 (2): gmr.15027899. (Zhu_et_al_2016)
364. Zhu X.H., Cheng S.P., Chen H.L., Kang X.Y., 2016. Genetic diversity of *Populus talassica* along Kashgar river basin. *Journal of Northwest Forestry University*, 4: 93-98+128.
365. Benke A., 2014. A Leuce szekcióba tartozó hazai nyárak dunántúli természetes eredetű állományainak populációgenetikai vizsgálata. (Population genetic analysis of transdanubian natural residues of domestic populations of the Leuce section). PhD thesis, Sopron.
366. Fahrenkrog A. M., Neves L. G., Resende M. F. R., Dervinis C., Davenport R., Barbazuk W. B., Kirst M., 2017. Population genomics of the eastern cottonwood (*Populus deltoides*). *Ecology and Evolution*, 7: 9426-9440. *
367. Dobhal S., Thakur S., Kumar R., 2017. Morphological characterization and identification of *Populus deltoides* Bartr. Crosses. *International Journal of Forestry and Crop Improvement*, 8(1): 24-29.
368. Nadal-Sala D., Sabaté S., Sánchez-Costa E., Poblador S., Sabatera F., Gracia C., 2017. Growth and water use performance of four co-occurring riparian tree species in a Mediterranean riparian forest. *Forest Ecology and Management*, 396: 132-142. *
369. Baldacci-Cresp F., Sacré P.-Y., Twyffels L., Mol A., Vermeersch M., Ziemons E., Hubert P., Pérez-Morga D., El Jaziri M., de Almeida Engler J., Baucher M., 2016. Poplar–Root Knot Nematode Interaction: A Model for Perennial Woody Species. *Molecular Plant-Microbe Interactions*, 29: 560-572.* (Baldacci-Cresp_et_al_2016)
370. Kersten B., Pakull B., Fladung M., 2017. Genomics of sex determination in dioecious trees and woody plants. *Trees*, 31 (4): 1113-1125. *
371. Saulino L., 2017. Biomass production and shoot dynamics of selected and native poplar genotypes growing under short rotation coppice. Ph.D. thesis, University of Naples Federico II, 81 pp. (Tesi_Dottorato_Luigi_SAULINO_XXIX_ciclo_AGRARIA)
372. Прошкин Б.В., Климов А.В., 2017. Изменчивость признаков листа у форм *Populus laurifolia* Ledeb., отличающихся по окрасу коры, в бассейне реки Томи. *Вестник Новосибирского Государственного Аграрного Университета*, No 1 (No 42): 93-106. (Proshkin&Klimov)
373. Paffetti D., Travaglini D., Labriola M., Buonamici A., Bottalico F., Materassi A., Fasano G., Nocentini S., Vettori C., 2018. Land use and wind direction drive hybridization between cultivated poplar and native species in a Mediterranean floodplain environment. *Science of the Total Environment*, 610-611: 1400-1412. *
374. Cole C.T., Ingvarsson P.K., 2018. Pathway position constrains the evolution of an ecologically important pathway in aspens (*Populus tremula* L.). *Molecular Ecology*, <https://doi.org/10.1111/mec.14785>
375. Zhou R., Macaya-Sanz D., Rodgers-Melnick E., Carlson C.H., Gouker F.E., Evans L.M., Schmutz J., Jenkins J.W., Yan J., Tuskan G.A., Smart L.B., DiFazio S.P., 2018. Characterization of a large sex

- determination region in *Salix purpurea* L. (Salicaceae). *Molecular Genetics and Genomics*, DOI (<https://doi.org/10.1007/s00438-018-1473-y>) (Zhou_2018)
376. Saulino L., Allevato E., Todaro L., Rossic S., Bonanomi G., Saracino A., 2019. Comparative study of hybrid and wild black poplar genotypes in the first three-year cycle of multi-stem short-rotation coppice. *Biomass and Bioenergy*, 122: 17-27.
377. Fladung M., Schildbach M., Hoenicka H., Kersten B., Müller N.A., 2019. Selfing of a single monoecious *Populus tremula* tree produces viable males, females and “supermales”. *Trees*, DOI: <https://doi.org/10.1007/s00468-019-01817-6>
378. Dobhal S., Thakur S., Kumar R., 2019. Assessment of reproductive biology and crossing between adapted and non-adapted clones of *Populus deltoides* Bartr. *Acta Scientific Agriculture*, 3(4): 244-252.
379. Dobhal S., Kumar V., Dabral A., Singh I., Thakur S., Kumar R., 2019. Line × tester analysis for growth and biomass characteristics of *Populus deltoides* Bartr. *Journal of Pharmacognosy and Phytochemistry*, 8(2): 177-182.

22. Kučerová V., Honec M., Paule L., **Zhelev P.**, Gömöry D., 2010. Genetic differentiation of *Sorbus torminalis* in Eastern Europe as determined by microsatellite markers. *Biologia*, 65 (5): 817-821.

Цитирана в:

380. Nyári L., 2010. Genetic variability of Service Tree (*Sorbus domestica* L.) in the Hungarian Middle Mountains – based on cpDNA analysis in two regions. *Acta Silvatica et Lignaria Hungarica*, 6: 17–32. (Sorbus_domestica_Hungary)
381. González E.A., 2011. Análisis de la diversidad genética en poblaciones naturales de especies vegetales amenazadas: *Ilex perado* ssp. *lopezlilloi* (Aquifoliaceae), *Silene nocteolens* (Caryophyllaceae) y *Sorbus aria* (Rosaceae). Ph.D. thesis, Universidad de Las Palmas de Gran Canaria, Departamento de Biología, 203 pp. + Annexes.
382. Antkowiak W., 2013. Zmienność morfologiczna i różnicowanie genetyczne gruszy pospolitej *Pyrus pyraeaster* (L.) Burgsd. w Polsce. Autoreferat, Ph.D. thesis, Uniwersytet Przyrodniczy w Poznaniu, 35 pp. (antkowiak-autoreferat)
383. Bednorz L., Myczko L., Kosinski P., 2015. An assessment of genetic diversity following natural regeneration of *Sorbus torminalis* in the Forest District of Jamy (northern Poland). *Dendrobiology*, 73: 111-116.*
384. Jankowska-Wroblewska S., Warmbier J., Burczyk J., 2016. Spatial genetic structure within populations of *Sorbus torminalis* (L.) Crantz: comparative analysis of the self-incompatibility locus and nuclear microsatellites. *Acta Biologica Cracoviensia, Series Botanica*, (58(1): 7-17.* (Jankowska_Wroblewska_2016)
385. Jankowska-Wroblewska S., Meyza K., Sztupecka E., Kubera L., Burczyk J., 2016. Clonal structure and high genetic diversity at peripheral populations of *Sorbus torminalis* (L.) Crantz. *iForest*, e1-e9.* (doi: 10.3832/for1885-009)* (Jankowska-WroblewskaetalBurczyk2016-iForestFINAL)
386. Liesebach H., 2014. Sexuelle und asexuelle Fortpflanzungsformen in der Gattung *Sorbus* L. (Rosaceae) – ein Review unter besonderer Berücksichtigung der Apomixis. *Mitteilungen der Deutsche Dendrologische Gesellschaft*, 99: 55-66.
387. Welk E., de Rigo D., Caudillo G., 2016. *Sorbus torminalis* in Europe: distribution, habitat, usage and threats. In: San-Miguel-Ayanz, J. et al. (Eds.). *European Atlas of Forest Tree Species*. Publication Office of the European Union, Luxembourg: 180-181. ISBN: 978-92-79-36740-3. DOI: 10.2788/038466 (Sorbus_torminalis)
388. Thomas P. A., 2017. Biological Flora of the British Isles: *Sorbus torminalis*. *Journal of Ecology*, 105: 1806-1831.*
389. Esmali Sharif M., Hosseini Nasr S. M., Ghamari Zare A., Talebi M., 2016. Appropriate methods for breaking seed dormancy of Iranian mountain ash (*Sorbus persica* Hedl.). *Iranian Journal of Forest and Poplar Research* Vol. 23 No. 4: 694-706.
390. Dobes C., Konrad H., Geburek T., 2017. Potential population genetic consequences of habitat fragmentation in central European forest trees and associated understorey species--an introductory survey. *Diversity*, 9 (1): 9 (doi:10.3390/d9010009)
391. Avşar M. D., 2018. Root sprout problem in urban trees and some recommendations. *Turkish Journal of Forest Science*, 2(1): 91-97. (Avsar_2018)

23. Tzonev R., Gussev C., Lysenko T., Zhelev P., 2008. The halophytic vegetation in South-east Bulgaria and along the Black Sea coast. *Hacquetia*, 7(2): 95-121.

Цитирана в:

392. Mitrev S., Mihajlov Lj., Trajkova F., Kovacevikj B., Zlatkovski V., 2011. Halophytes in Republic of Macedonia. In: Öztürk M., Böer B., Barth H.-J., Breckle S.-W., Clüsener-Godt M., Khan, M.A. (Eds). *Sabkha Ecosystems. Volume III: Africa and Southern Europe. Series: Tasks for Vegetation Science, Vol. 46, Springer, 133-137. (ISBN: 978-90-481-9672-2). (Sabkha Ecosystems_Halophytes in Republic of Macedonia) (Sabkha Ecosystems_Halophytes in Republic of Macedonia)*
393. Kern A.K., Harzhauser M., Soliman A., Piller W.E., Gross M., 2011. Precipitation driven decadal scale decline and recovery of wetlands of Lake Pannon during the Tortonian. *Palaeogeography, Palaeoclimatology, Palaeoecology*, 317-318: 1-12.* (Kern-et-al-2012)
394. Eliáš P., Grulich V., Dítě D., Senko D., 2012. Distribution and ecology of *Carex secalina* in the Czech Republic and Slovakia. *Acta Societatis Botanicorum Poloniae*, 81(2): 93-99.* (Elias_et_al_2012)
395. Apostolova I., Sopotlieva D., Pedashenko H., Velev N., Vasilev K., 2012. Bulgarian Vegetation Database: historic background, current status and future prospects. In: Dengler, J., Oldeland, J., Jansen, F., Chytrý, M., Ewald, J., Finckh, M., Glöckler, F., Lopez-Gonzalez, G., Peet, R.K., Schaminée, J.H.J. (Eds.): *Vegetation databases for the 21st century. – Biodiversity & Ecology* 4: 141–148. (Apostolova_et_al_2012)
396. Пеев Д., Петрова А., Апостолова И., Асьов Б. (ред.), 2012. Важни места за растенията в България. С., Пенсофт, 469 с. (Important-Plant-Areas-Bulgaria)
397. Sarika M., 2012. Flora and vegetation of some coastal ecosystems of Sterea Ellas and eastern continental Greece. *Lazaroa*, 33: 65-99. (Lazar)
398. Dítě D., Melečková Z., Perić R., Eliáš P., 2013. The confirmed occurrence and current phytosociological status of *Cyperus pannonicus* in Vojvodina (Northern Serbia). *Bulletin of the Natural History Museum*, 6: 43-54. (Dite_2013)
399. Scott D.B., Frail-Gauthier J., Mudie P.J., 2014. *Coastal Wetlands of the World: Geology, Ecology, Distribution and Applications*. Cambridge University Press, Cambridge, 364 pp.
400. Elias P., Sopotlieva D., Dite D., Hajkova P., Apostolova I., Senko D., Meleckova Z., Hajek M., 2013. Vegetation diversity of salt-rich grasslands in Southeast Europe. *Applied Vegetation Science*, 16: 521–537.* (Elias_et_al_2013)
401. Kern A., 2012. Millennial- to centennial-scale vegetation dynamics in relation to other environmental proxies during the Miocene in and around the Paratethys sea and lake Pannon. Ph.D. thesis, Karl-Franzen-Universität Graz, 219 pp. (Diss_Andrea_Kern)
402. Sopotlieva D., Apotolova I., 2014. Dry grassland vegetation in the transition zone between two biogeographic regions. *Hacquetia*, 13(1): 73-114.
403. Dítě D., Eliáš P., Melečková Z., 2014. The *Heleocholetum alopecuroidis* association in the Pannonian Basin – fiction or reality? *Biologia*, 69(10): 1331—1338.* (Dite_et_al_2014)
404. Todorova M., Grozeva N., Gospodinova M., Ivanova J., 2013. relationships between soil salinity and vascular plants in inland salt meadow near the town of Radnevo. University of Agronomic Sciences and Veterinary Medicine of Bucharest, *Scientific Papers. Series A – Agronomy*, Vol. LVI: 119-125. (Todorova_et_al_2013)
405. Мечева Р. (ръководител) и др. (още 24 съавтори; няма дублиране с автор от цитираната статия). Изготвяне на документация за обявяване на Национален парк „Българско Черноморие” – по договор 9340/2014 г. между ПУДООС и ИБЕИ БАН. 239 с.
406. Fanelli G., De Sanctis M., Gjeta E., Mullaj A., Attorre F., 2015. The vegetation of the Buna river protected landscape (Albania). *Hacquetia*, 15/1: 1-46. (HACQUETIA_15-1_2_Fanelli)
407. Dítě D., Melečková Z., Eliáš P., Janák M., 2015. Manažmentový model pre biotopy slaných pôd. In: Stanová V.S. (Ed.). *Manažmentové modely pre údržbu, ochranu a obnovu mokrad'ových biotopov*: 23-49. (ISBN: 978-80-89310-93-7) (Manazmentove_Modely_mokrade_web)
408. Sarika M., Bazos I., Zervou S., Christopoulou A., 2015. Flora and vegetation of the European-network “Natura 2000” habitats of Naxos island (GR4220014) and of nearby islets Mikres Kyklades (GR4220013), Central Aegean (Greece). *Plant Sociology*, 52 (2): 3-5. (Sarika_et_al_2015)
409. Titica G., 2015. Flora și vegetația stepelor subdeșertice din Republica Moldova. Ph.D. thesis, Academia de Științe a Moldovei, Grădina Botanică (Institut), Chișinău, 208 pp.
410. Stevanović Z.D., Ačić S., Luković M., Zlatković I., Vasin J., Topisirović G., Šilc U., 2016. Classification of continental halophytic grassland vegetation of Southeastern Europe. *Phytocoenologia*, 46(3): 317-331. *

411. Todorova M.H., Grozeva N.H., 2015. Karyological and morphological variations within *Bassia hirsuta* (L.) Asch. in Bulgaria. *Trakya University Journal of Natural Sciences*, 15(1): 17-23.
412. Mitov P.G., 2016. New data on *Myosotella myosotis* (Draparnaud, 1801) (Pulmonata: Basommatophora: Ellobiidae) from Bulgaria. *Acta Zoologica Bulgarica*, 68(3): 321-330.
413. Парпан В.І., Шумська Н.В., Рудейчук-Кобзева М.Я., Миленька М.М., 2016. Синтаксономія рослинності Калуського полігону токсичних відходів гексахлорбензолу (Івано-Франківська область). *Вісник Дніпропетровського університету. Біологія, екологія*, 24(2): 364–370.
414. Făgăraș M., 2016. The halophytic vegetation along the coastal zone of the Danube Delta biosphere reserve. In: *International Multidisciplinary Scientific GeoConference: SGEM: Surveying Geology & mining Ecology Management*; Sofia, 2: 861-868. (Fagaras_2016)
415. Sopotlieva D., Velev N., Tsvetkova N., Vassilev V., Apostolova I., 2018. Ecosystem condition assessment of semi-natural grasslands outside the Natura 2000 network in Bulgaria, using vegetation data. *Tuexenia*, 38: 385-404. (Tuexenia_NS_38_0385-0404).*
416. Grozeva N., Todorova M., Pavlov D., 2019. Karyological and morphological variation within *Petrosimonia brachiata* Bunge in Bulgaria. *Botanica Serbica*, 43 (1): 13-21.
417. Stevanović Z.D., Acíc S., Stešević D., Luković M., Šilc U., 2019. Halophytic vegetation in South-east Europe: classification, conservation and ecogeographical patterns. In: Hasanuzzaman M., Shabala S., Fujita M. (Eds.). *Halophytes and Climate Change: Adaptive Mechanisms and Potential Uses*. CABI: 55-68.

24. Tzvetkova N., Iliev I., Zhelev P. (1995). Morphological and biochemical investigations of the rhizogenesis in vitro of *Sequoia sempervirens* Endl. In: *Recent Advances in plant biotechnology*, Nitra: 40-46.

Цитирана в:

418. Schmidt G., 1996. Propagation of some hard-to-root cultivars of Cupressaceae family with juvenile microcuttings. In: Iliev I., Zhelev P. and Alexandrov P. (eds.). *IPPS in Bulgaria. Propagation of ornamental plants*, pp. 135-142.
419. Schmidt G. (2002). *Juvenilitás-prekondícionálás-regenerációs képesség honosításra és nemesítésre épülő vizsgálatai fásszárú díznövényeknél. Értekezés a Magyar Tudományos Akadémia Doktora tudományos cím elnyeréséhez*, Budapest, Május 2002. (Schmidt G., 2002. Juvenility-precondition-regeneration interaction studies at the breeding and introduction of woody ornamentals. Dissertation for obtaining the scientific degree Doctor of Hungarian Academy of Sciences)

25. Brus R., Ballian D., **Zhelev P.**, Pandža M., Bobinac M., Acevski J., Raftoyannis Y., Jarni K., 2011. Absence of geographical structure of morphological variation in *Juniperus oxycedrus* L. subsp. *oxycedrus* in the Balkan Peninsula. *European Journal of Forest Research*, 130 (4): 657-670.

Цитирана в:

420. Douaihy B., Sobierajska K., Jasinska A.K., Boratynska K., Ok T., Romo A., Machon N., Didukh Y., Dagher-Kharrat M.B., Boratynski A., 2012. Morphological versus molecular markers to describe variability in *Juniperus excelsa* subsp. *excelsa* (Cupressaceae). *AoB Plants*: doi:10.1093/aobpla/pls013, available online at www.aobplants.oxfordjournals.org (*Juniperus excelsa Lebanon*)
421. Николаева А.В., Калафат Л.А., Егорова А.В., 2012. Морфометрическая изменчивость шишкоягод и семенная продуктивность *Juniperus oxycedrus* L. в Крыму. В: *Промышленная ботаника. Сборник научных трудов. – Донецк: Донецкий ботанический сад НАН Украины. Вып.12: 37-42.* (Nikolaeva_2012)
422. Susandarini R., Subandiyah S., Rugayah, Daryono B.S., Nugroho L.H., 2013. Assessment of taxonomic affinity of Indonesian pummelo (*Citrus maxima* (Burm.) Merr.) based on morphological characters. *American Journal of Agricultural and Biological Sciences*, 8(3): 182-190. (Susandarini_2013)
423. Pinna M.S., Grillo O., Mattana E., Cañadas E.M., Bacchetta G., 2014. Inter- and intraspecific morphometric variability in *Juniperus* L. seeds (Cupressaceae). *Systematics and Biodiversity*, 12 (2): 211-223. *

424. Olate V.R., Soto A., Schmeda-Hirschmann G., 2014. Seasonal Variation and Resin Composition in the Andean Tree *Austrocedrus chilensis*. *Molecules*, 19(5): 6489-6503.*
425. Curto M., Nogueira M., Beja P., Amorim F., Schümann M., Meimberg H., 2015. Influence of past agricultural fragmentation to the genetic structure of *Juniperus oxycedrus* in a Mediterranean landscape. *Tree Genetics and Genomes*, 11:32, 13 pp. * (Curto_et_al_2015)
426. Sękiewicz K., Boratyńska K., Dagher-Kharrat M.B., Okc T., Boratyński A., 2016. Taxonomic differentiation of *Cupressus sempervirens* and *C. atlantica* based on morphometric evidence. *Systematics and Biodiversity*, 14(5): 494-508.* (Sekiewicz_et_al_2016)
427. Stojnić S., Orlović S., Pekeć S., Trudić B., Stojanović M., 2015. Ispitivanje odnosa nadmorske visine i suve mase lista po jedinici lisne površine kod provenijencija bukve. *Topola*, 195/196: 31-40. (Stojnic_Topola_2015)
428. Roma-Marzio F., Najar B., Alessandri J., Pistelli L., Peruzzi L., 2017. Taxonomy of prickly juniper (*Juniperus oxycedrus* group): A phytochemical-morphometric combined approach at the contact zone of two cryptospecies. *Phytochemistry*, 141: 48-60.
429. Popović V., Kerkez I., 2016. Varijabilnost populacija divlje trešnje (*Prunus avium* L.) u Srbiji prema morfološkim svojstvima listova. *Šumarski list*, 7-8: 347-355. (Popovic&Kerkez_2016)
430. Yavuz Z., Yilmaz M., 2017. Seed dormancy and cone and seed morphology of syrian juniper (*Juniperus drupacea* Labill.) in the Eastern Mediterranean region of Turkey. *Šumarski list*, 5-6: 257-262.
431. Zouaoui S., 2016. Effet antimicrobien des extraits de racines de *Juniperus oxycedrus* de Tlemcen. Ph.D. thesis, Université Abou Bekr Belkaid Tlemcen, Algerie, 45 pp. (Zouaoui_Thesis)
432. Hafsi Z., Belhadj S., Derridj A., Mevy J.-P., Notonnier R., Tonetto A., Gauquelin T., 2017. Étude de la variabilité morphologique (aiguilles, galbules) du complexe spécifique *Juniperus oxycedrus* L., le Genévrier oxycède, au sein de sept populations d'Algérie. *Revue d'Ecologie (Terre et Vie)*, 72(4): 353-373.
433. Stojnić S., Orlović S., Miljković D., von Wuehlisch G., 2016. Intra- and interprovenance variations in leaf morphometric traits in European Beech (*Fagus sylvatica* L.). *Archives of Biological Sciences*, 68(4): 781-788.* (Stojnic_et_al_2016)
434. Moore J.D. III, 2017. Sexual dimorphism in the moss *Bryum argenteum* and its implications for sex ratio bias. Ph.D. thesis, University of Kentucky, 187 pp. (Moore_2017)
435. Poljak I., Idžojić M., Šapić I., Korijan P., Vuketić J., 2018. Diversity and structure of Croatian continental and Alpine-Dinaric populations of Grey alder (*Alnus incana* /L./ Moench subsp. *incana*): Isolation by distance and environment explains phenotypic divergence. *Šumarski List*, CXLII (1-2): 19-32. * (Poljak_et_al_2018)
436. Atar F., Turna I., 2018. Fruit and seedling diversity among Sweet chestnut (*Castanea sativa* Mill.) populations in Turkey. *Sumarski List*, CXLII (11-12): 611-619.* (Atar&Turna_2018)
437. Semerdjieva I., Zhelyazkov V.D., Radukova T., Radanović D., Marković T., Dincheva I., Stoyanova A., Astatkie T., Kačaniova M., 2019. Essential oil yield, composition, bioactivity and leaf morphology of *Juniperus oxycedrus* L. from Bulgaria and Serbia. *Biochemical Systematics and Ecology*, 84: 55-63.*

26. Scaltsoyiannes A., Tsaktsira M., Pasagiannis G., Tsoulpha P., Zhelev P., Iliev I., Rohr R., 2009. Allozyme variation of European Black (*Pinus nigra* Arnold) and Scots pine (*Pinus sylvestris* L.) populations and implications on their evolution: A comparative study. *Journal of Biological research*, 11: 95-106.

Цитирана в:

438. Raptis D., Zagas D., Karamanolis D., Karnouskos P., Zagas Th., 2011. Structure analysis of Black Pine (*Pinus nigra* Arn.) stands in the Southeast Mt. Olympus. In: 15th Panhellenic Forestry Conference, Karditsa, 16-19.10.2011: 567-578. (in Greek with English summary) (hellenic_society_2011)
439. Szymczak S., Joachimski M.M., Bräuning A., Hetzer T., Kuhlemann J., 2012. Are pooled tree ring $\delta^{13}C$ and $\delta^{18}O$ series reliable climate archives? — A case study of *Pinus nigra* spp. laricio (Corsica/France). *Chemical Geology* 308-309: 40-49. * (Szymczak)
440. Thiel D., Nagy L., Beierkuhnlein C., Huber G., Jentsch A., Konnert M., Kreyling J. 2012. Uniform drought and warming responses in *Pinus nigra* provenances despite specific overall performances. *Forest Ecology and Management*, 270: 200-208.* (Thiel_et_al_2012)

441. Alberto F.J., Aitken S.N., Alia R., Gonzalez-Martinez S.C., Hänninen H., Kremer A., Lefevre F., Lenormand T., Yeaman S., Whetten R., Savolainen O., 2013. Potential for evolutionary responses to climate change – evidence from tree populations. *Global Change Biology*, 19: 1645-1661.* (Alberto_2013) (Alberto_gcb12181-sup-0002-Supporting-information-references)
442. Chudzińska E., Diatta J.B., Wojnicka-Póltorak A., 2013. Adaptation strategies and referencing trial of Scots and black pine populations subjected to heavy metal pollution. *Environmental Science and Pollution Research*, 21(3): 2165-2177. (DOI 10.1007/s11356-013-2081-3). *
443. Alexandrov A., Dobrev R., 2012. State of forest genetic resources in Bulgaria. *Nauka za Gorata*, 1-2: 1-22. (Alexandrov&Dobrev_2012)
444. Christopoulou A., Fyllas N.M., Andriopoulos P., Koutsias N., Dimitrakopoulos P.G., Arianoutsou M., 2014. Post-fire regeneration patterns of *Pinus nigra* in a recently burned area in Mount Taygetos, Southern Greece: The role of unburned forest patches. *Forest Ecology and Management* 327: 148–156.* (Christopoulou)
445. Лебедев, А.Г., 2014. Анализ изменчивости количественных признаков хвои сосны обыкновенной (*Pinus sylvestris* L.) в связи с дифференциацией популяций. Диссертация (кбн), Вятская государственная сельскохозяйственная академия, Киров, 130 с. + приложения. (Lebedev_PhD)
446. Šarać Z., Aleksić J.M., Dodoš T., Rajčević N., Bojović S., Marin P.D., 2015. Cross-species amplification of nuclear EST-microsatellites developed for other *Pinus* species in *Pinus nigra*. *Genetika* (Beograd), 47: 205-217.* (Sarac-et_al_2015)
447. Papaioannou A.G., 2015. Ecological and soil conditions of black pine (*Pinus nigra* Arn.) stands in the area of the Russian Monastery at Mount Athos. *Russian Journal of Ecology*, 46(5), 438-443.* (Papaioannou_2015)
448. Alexandrov A., Dobrev R., 2011. The state of the world's forest genetic resources. Country Report Bulgaria, FAO, Rome, 60 pp.

27. Bajc M., Čas M., Ballian D., Kunovac S., Zubić G., Grubešić M., **Zhelev P.**, Paule L., Grebenc T., Krajgher H., 2011. Genetic Differentiation of the Western Capercaillie Highlights the Importance of South-Eastern Europe for Understanding the Species Phylogeography. **PLoS ONE**, 6(8): e23602. doi:10.1371/journal.pone.0023602.

Цитирана в:

449. Segelbacher G., 2012. Molekulare Methoden im Naturschutz. *Vogelwarte*, 50 (1): 9-14. (Segelbacher)
450. Schmitt T., Varga Z., 2012. Extra-Mediterranean refugia: The rule and not the exception? *Frontiers in Zoology* 2012, 9:22 doi:10.1186/1742-9994-9-22* (Schmitt_2012)
451. González M.A., 2012. Biology and conservation of the Capercaillie in a Mediterranean environment. Ph.D. thesis, Universidad de Leon, 162 pp. (in Spanish) (Tetrao_Spain)
452. Pokorný B., Jelenko I., 2012. Pregled novjših raziskav divjadi in njihovega pomena za trajnostno upravljanje s populacijami. *Zlatorogov zbornik*, 1. 3-25. (Pokorný&Jelenko_2012)
453. Alda F., González M.A., Olea P.P., Ena V., Godinho R., Drovetski S.V., 2013. Genetic diversity, structure and conservation of the endangered Cantabrian Capercaillie in a unique peripheral habitat. *European Journal of Wildlife Research*, 59: 719-728. * (Alda_et_al_2013)
454. Broggi J.A.B., Copete J.L.C., Kvist L.A., Marín R.D., 2013. Is there genetic differentiation in the Pyrenean population of Tengmalm's owl *Aegolius funereus*? *Ardeola*, 60 (1): 123-132.
455. Hausknecht R., Jacobs S., Müller J., Zink R., Frey H., Solheim R., Vrezec A., Kristin A., Mihok J., Kergalve I., Saurola P., Kuehn R., 2014. Phylogeographic analysis and genetic cluster recognition for the conservation of Ural Owls (*Strix uralensis*) in Europe. *Journal of Ornithology*, 155(1): 121-134. * (Hausknecht_et_al_2014)
456. Borchtchevski V., Mos R., 2014. Age structure of Capercaillie males (*Tetrao urogallus*) in NW Russia may reflect two-way movements – a hypothesis. *Ornis Fennica*, 90: 14-28.* (Borchtchevski&Moss_2014)
457. Banu S., Bhagwat R.M., Lagu M.D., Kadoo N., Kulkarni B. G., Gupta V.S., 2014. Effect of Anthropogenic Activities on Patterns of Genetic Diversity in *Symplocos racemosa* Roxb. from Western Ghats, India. *International Journal of Biodiversity*, Volume 2014, Article ID 296891, 10 pages.
458. Segelbacher G., 2013. Trends in Raufusshuhnforschung. *Ornithologische Beobachter*, 110(3): 271-280. (Segelbacher_2013.doc)
459. Álvarez B.C., 2014. Los últimos urogallos. Un ave en peligro de extinción. © Waste Magazine (on-line journal) (<http://waste.ideal.es/urogallo.htm>) (Los_últimos_urogallos.doc)

460. Hill, L. 2014. "Tetrao urogallus" (On-line), Animal Diversity Web. Accessed December 25, 2017 at http://animaldiversity.org/accounts/Tetrao_urogallus/.
461. Rodriguez-Munoz R., Rodriguez del Valle C., Banuelos M.J., Mirol P., 2015. Revealing the consequences of male-biased trophy hunting on the maintenance of genetic variation. *Conservation Genetics*, 16(6): 1375-1394.*
462. Kajtoch L., Cieślak E., Varga Z., Paul W., Mazur M.A., Sramkó G., Kubisz D., 2016. Phylogeographic patterns of steppe species in Eastern Central Europe: a review and the implications for conservation. *Biodiversity and Conservation*, 25:2309. (DOI 10.1007/s10531-016-1065-2)*
463. Rutkowski R., Jagołkowska J., Zawadzka D., Bogdanowicz W., 2016. Impacts of forest fragmentation and post-glacial colonization on the distribution of genetic diversity in the Polish population of the hazel grouse *Tetrastes bonasia*. *European Journal of Wildlife Research*, 62: 293-306.*
464. Strzala T., Kowalczyk A., Łukaszewicz E., 2015. Reintroduction of the European Capercaillie from the Capercaillie Breeding Centre in Wisła Forest District: Genetic Assessments of Captive and Reintroduced Populations. *PLoS ONE*, 10(12): e0145433.*
465. Bhagwat R.M., 2015. DNA barcoding of some forest tree species of Western Ghats. Ph.D. Thesis, Division of biochemical sciences, CSIR-National Chemical Laboratory, Pune, India, 154 pp.
466. Bujanić M., Bagarić M., Križ I., Konjević D., 2016. Praćenje sezone parenja tetrijeba gluhana (*Tetrao urogallus*) – preliminarni rezultati. In: Proceedings Sixth Croatian veterinary congress with international participation, Opatija, 26 - 29 October 2016: 347-354. (Sixth_Croatian_Veterinary_Congress)
467. Fedorca M.B., 2017. Evaluări genetice cu markeri ADN în populația de cocoș de munte (*Tetrao urogallus*) din România. Ph.D. Thesis, Transsylvania University in Brasov, Romania, 77 pp.
468. Gonzalez M.A., Fuertes B., Blanco-Fontao B., De Frutos A., 2017. The edge also matters: human threats in a rare Mediterranean habitat for Cantabrian Capercaillie. *Bird Conservation International*, 27 (4): 582-593. *
469. Fameli A., Morán-Luis M., Rodríguez-Muñoz R., Bañuelos M. J., Quevedo M., Mirol P., 2017. Conservation in the southern edge of *Tetrao urogallus* distribution: Gene flow despite fragmentation in the stronghold of the Cantabrian capercaillie. *European Journal of Wildlife Research*, 63: 58. *
470. Rutkowski R., Zawadzka D., Suchecka E., Merta D., 2017. Conservation genetics of the capercaillie in Poland - Delineation of conservation units. *PLoS One*, 12(4):e0174901.* ()
471. Falniowski A., Georgiev D., Osikowski A., Hofman S., 2016. Radiation of *Grossuana Radoman*, 1973 (Caenogastropoda: Truncatelloidea) in the Balkans. *Journal of Molluscan Studies*, 82 (2): 305–313.* (Falniowski_et_al_2016)
472. Гомель К.В., Шпак А.В., Хейдорова Е.Э., Никифоров М.Е., Гайдученко Е.С., Юрченко Д.Г., Головенчик В.И., Сливинска К., Ларченко А.И., Маханько О.В., Домбровский В.Ч., 2017. Генетический банк дикой фауны как основа развития молекулярно-генетических исследований в зоологии. В: Актуальные проблемы зоологической науки в Беларуси. Материалы XI Зоологической Международной научно-практической конференции, приуроченной к десятилетию основания ГНПО «НПЦ НАН Беларуси по биоресурсам» (г. Минск, 1–3 ноября 2017 г.), том. 1: 47-60. (Zoological_Conference_Belarus)
473. Rutkowski R., Zawadzka D., Merta D., Stanković A., Jagołkowska P., Suchecka E., Kobielski J., 2017. Conservation genetics of the Capercaillie *Tetrao urogallus* in Poland – diversity of mitochondrial DNA in remnant and extinct populations. *Acta Ornithologica*, 52(2): 179-196. (Rutkowski_et_al_2017_1)*
474. Rutkowski R., Dulisz B., Szczepański S., Nowakowski J.J., Zwijacz-Kozica T., Krzan P., 2017. Conservation genetics of the capercaillie in Poland – estimating the size of the Tatra National Park population by the genotyping of non-invasive samples. *Fragmenta Faunistica*, 60(2): 119–128. (Rutkowski_Frag-Faun_2017)
475. Bagi Z., Dimopoulos E.A., Loukovitis D., Eraud C., Kusza S., 2018. MtDNA genetic diversity and structure of Eurasian Collared Dove (*Streptopelia decaocto*). *PLoS One*, 13(3): e0193935.* (Bagi_et_al_2018)
476. Plachiyski D.G., Popgeorgiev G. S., Avramov S. G., Boev Z. N., 2018. The Balkan Capercaillie *Tetrao urogallus rudolfi* Dombrowski, 1912 (Galliformes: Phasianidae): Distribution History and Current Status in Bulgaria. *Acta Zoologica Bulgarica*, 70(1): 101-111.
477. Bagi Z., 2018. Impact of the European expansion of the Eurasian collared dove (*Streptopelia decaocto*) on the genetic diversity of the species. Ph.D. Thesis, University of Debrecen (Hungary), 30 pp. (Bagi_2018)
478. Poirazidis K., Bontzorlos V., Xofis P., Zakkak S., Xirouchakis S., Grigoriadou E., Kechagioglou S., Gasteratos I., Alivizatos H., Panagiotopoulou M., 2019. Bioclimatic and environmental suitability models for capercaillie (*Tetrao urogallus*) conservation: Identification of optimal and marginal areas in Rodopi Mountain-Range National Park (Northern Greece). *Global Ecology and Conservation*, e00526

479. Борщевский В.Г., Хомякова И.А., 2019. Вес тела глухаря *Tetrao urogallus*: пространственная изменчивость на западе ареала. Труды Карельского научного центра РАН, № 1: 55–74. DOI: 10.17076/bg796
480. Schreiber, A., 2019. Taxonomie und Evolution des Haselhuhns: die aussterbende Unterart *Tetrastes bonasia rhenana*. In: Schreiber, A., Montadert, M. (Hrsg.). Westliches Haselhuhn: Biologie, Status und Perspektiven für eine Erhaltungszucht. Westliches Haselhuhn. Biologie, Status und Perspektiven einer Erhaltungszucht. Neustadt (Weinstraße), POLLICHIA: 29-61. ISBN: 978-3-925754-64-7

28. Zhelev P., Tsarska A., 2009. Genetic diversity in the Bulgarian populations of *Pinus peuce* Grsb. In: Noshad D., Noh E.W., King J., Sniezko R.A. (eds.). Breeding and Genetic Resources of Five-Needle Pines. Proceedings of the Conference 2008, Yangyang, Korea, Korea Forest Research Institute: 10-16. (ISBN 978-89-8176-605-4 (93520)

Цитирана в:

481. Alberto F.J., Aitken S.N., Alia R., Gonzalez-Martinez S.C., Hänninen H., Kremer A., Lefevre F., Lenormand T., Yeaman S., Whetten R., Savolainen O., 2013. Potential for evolutionary responses to climate change – evidence from tree populations. *Global Change Biology*, 19: 1645-1661.* (Alberto_2013)(Alberto_gcb12181-sup-0002-Supporting-information-references)
482. Alexandrov A., Dobrev R., 2012. State of forest genetic resources in Bulgaria. *Nauka za Gorata*, 1-2: 1-22. (Alexandrov&Dobrev_2012)
483. Alexandrov A., Dobrev R., 2011. The state of the world's forest genetic resources. Country Report Bulgaria, FAO, Rome, 60 pp.
484. Bachmann M., Rommel D., Stimm B., 2015. Growth and Performance of Macedonian pine (*Pinus peuce* Griseb.) in Bavaria against the backdrop of climate change. *Forestry Ideas*, 21(2): 173-188.

29. Zhelev P., Hadzhiyski V., Gagov V., 2010. The reproductive process in a natural stand and in a seed orchard of *Pinus nigra* Arn. *Genetics and Breeding*, 39(1): 93-101.

Цитирана в:

485. Александров А., Добрев Р., 2013. Запазване и използване на горските генетични ресурси в България. *Техносфера*, 20(2): 42-47.
486. Георгиева М., 2016. Проучване на генетичното разнообразие на източния платан (*Platanus orientalis* L.) в България. Дисертация, С., ЛТУ, 139 с.

30. Цонев Р., Желев П., Цавков Е., 2011b. Мизийски смесени термофилни дъбови гори. В: Бисерков В. (ред.) Червена Книга на Република България. Т. III. Природни местообитания. ИБЕИ – БАН и МОСВ: 306-309.

Цитирана в:

487. Georgieva N., Pachedjieva K., Lyubenova M., 2013. SCI “Zapadna Stara planina and Predbalkan” – Floristic studies on xerothermic oak forests. *Bulgarian Journal of Agricultural Science*, 19 (2): 218–221.*
488. Dimitrov M.A., Petrova D.D., 2014. Forest Habitats in Ponor Special Protection Area (Natura 2000), Western Bulgaria: Characteristics, Status Assessment and Management Recommendations. *Acta zoologica bulgarica*, Suppl. 5: 9-20.* (Dimitrov&Petrova_2014a)
489. Halada, L., Gerhátová, K. and Bača, A., 2017. Supporting elements for the Alpine Natura 2000 review seminar (2nd part: Fact sheets for “Low hanging fruits” habitats). ETC/BD report to the EEA.

31. Гагов В., Желев П., 1996. Наследяемост в широк смисъл (H^2) на растежа по височина при белия бор. Научни трудове на ВЛТИ, серия Горско стопанство, т. XXXVII: 3-7.

Цитирана в:

490. Alexandrov A., Dobrev R., 2012. State of forest genetic resources in Bulgaria. *Nauka za Gorata*, 1-2: 1-22. (Alexandrov&Dobrev_2012)
491. Alexandrov A., Dobrev R., 2011. The state of the world's forest genetic resources. Country Report Bulgaria, FAO, Rome, 60 pp.

32. Гагов В., Желев П., 1996. Наследствени прояви в потомството на хибриди между високопланинския екотип на белия бор и клека. Научни трудове на ВЛТИ, серия Горско стопанство, т. XXXVII: 14-19.

Цитирана в:

492. Alexandrov A., Dobrev R., 2012. State of forest genetic resources in Bulgaria. *Nauka za Gorata*, 1-2: 1-22. (Alexandrov&Dobrev_2012)
493. Alexandrov A., Dobrev R., 2011. The state of the world's forest genetic resources. Country Report Bulgaria, FAO, Rome, 60 pp.

33. Gagov V., Evtimov I., **Zhelev P.**, 2005. Comparative study on the growth of half-sib families of selected trees of *Abies alba* Mill. and *Abies borisii-regis* Mattf. from Bulgarian and Macedonian provenances. . In: Proc. 11th IUFRO Tannensymposium, Pojana Brasov, Romania, 05-09.09.2005. (in press)

Цитирана в:

494. Alexandrov A., Dobrev R., 2012. State of forest genetic resources in Bulgaria. *Nauka za Gorata*, 1-2: 1-22. (Alexandrov&Dobrev_2012)
495. Mihai G., Mirancea I., 2016. Age trends in genetic parameters for growth and quality traits in *Abies alba*. *iForest*, doi: 10.3832/ifor1766-009* (Mihai&Mirancea_2016)
496. Alexandrov A., Dobrev R., 2011. The state of the world's forest genetic resources. Country Report Bulgaria, FAO, Rome, 60 pp.

34. Желев П., Едрева А., 1991. Изменчивост по съдържание на полифенолни компоненти в някои популации на бял бор (*Pinus sylvestris* L.) от Родопите. Научни трудове на ВЛТИ, серия Горско стопанство, т. XXXIV: 43-54.

Цитирана в:

497. Alexandrov A., Dobrev R., 2012. State of forest genetic resources in Bulgaria. *Nauka za Gorata*, 1-2: 1-22. (Alexandrov&Dobrev_2012)
498. Alexandrov A., Dobrev R., 2011. The state of the world's forest genetic resources. Country Report Bulgaria, FAO, Rome, 60 pp.

35. Юруков С., Панайотов М., Цавков Е., Желев П., 2005. Дендрологична характеристика на черната мура (*Pinus heldreichii* Christ.) върху карстовите терени на национален парк Пирин. В: International Scientific Conference 'Protected karst territories – condition, problems, perspectives', 18-21 October, Shumen, Bulgaria (In Bulgarian). – непубликуван доклад.

Цитирана в:

499. Alexandrov A., Dobrev R., 2012. State of forest genetic resources in Bulgaria. *Nauka za Gorata*, 1-2: 1-22. (Alexandrov&Dobrev_2012)

500.Alexandrov A., Dobrev R., 2011. The state of the world's forest genetic resources. Country Report Bulgaria, FAO, Rome, 60 pp.

- 36.** Юруков С., Желев П., 1996. Изменчивост на листата на клека от района на вр. “Кутело” (Народен Парк “Пирин”). Научни трудове на ВЛТИ, серия Горско стопанство, т. XXXVII: 8-13.

Цитирана в:

501.Alexandrov A., Dobrev R., 2012. State of forest genetic resources in Bulgaria. *Nauka za Gorata*, 1-2: 1-22. (Alexandrov&Dobrev_2012)

- 37.** Цонев Р., Желев П., Цавков Е., 2011а. Мизийски гори от космат дъб (*Quercus pubescens*). В: Бисерков В. и др. (ред.) Червена Книга на Република България. Т. III. Природни местообитания. ИБЕИ – БАН и МОСВ: 304-306.

Цитирана в:

502.Dimitrov M.A., Petrova D.D., 2014. Forest Habitats in Ponor Special Protection Area (Natura 2000), Western Bulgaria: Characteristics, Status Assessment and Management Recommendations. *Acta Zoologica Bulgarica*, Suppl. 5: 9-20. * (Dimitrov&Petrova_2014a)

- 38.** Цонев Р., Гогушев Г., Желев П., 2011а. Тракийски гори от космат дъб (*Quercus pubescens*). В: Бисерков В. и др. (ред.) Червена Книга на Република България. Т. III. Природни местообитания. ИБЕИ – БАН и МОСВ: 301-303.

Цитирана в:

503.Dimitrov M.A., Petrova D.D., 2014. Forest Habitats in Besaparski Ridove Special Protection Area (Natura 2000), Southern Bulgaria: Characteristics, Status Assessment and Management Recommendations. *Acta Zoologica Bulgarica*, Suppl. 5, 2014: 129-136.* (Dimitrov&Petrova_2014b)

- 39.** Цонев Р., Гогушев Г., Желев П., 2011б. Тракийски смесени термофилни дъбови гори. В: Бисерков В. и др. (ред.) Червена Книга на Република България. Т. III. Природни местообитания. ИБЕИ – БАН и МОСВ: 309-311.

Цитирана в:

504.Dimitrov M.A., Petrova D.D., 2014. Forest Habitats in Besaparski Ridove Special Protection Area (Natura 2000), Southern Bulgaria: Characteristics, Status Assessment and Management Recommendations. *Acta zoologica bulgarica*, Suppl. 5, 2014: 129-136.* (Dimitrov&Petrova_2014b)

505.Pachedjieva K., Zheleva T., 2015. Forest habitats in Oborishte locality, Sredna Gora Mountain. *Annuaire de l'Université de Sofia “St. Kliment Ohridski”*, Faculte de Biologie, livre 4: 101-109. (Pachedjieva&Zheleva_2015)

- 40.** Grueva M., Zhelev P., 2011. Population genetic structure of *Platanus orientalis* L. in Bulgaria. *©iForest*, 4: 186-189.

Цитирана в:

506.Daskalakou E., Thanos C.A., 2014. Sexual reproduction in native trees of Greece. In: Muller J.V., Koziol C., Palucka M. (eds.). Current technologies of forest seed treatment. The Kostrzyca Forest Gene Bank: 31-49. (DaskalakouThanos2014Poland)

507.Radoukova T.I., Stoyanov P.S., Nikolov N.A., Todorov K.T., 2015. Determination of the conservation values of the *Platanus orientalis* L. population in the protected area “Chinarite”, village Belastitsa, municipality Rodopi. *Journal of Bioscience and Biotechnology*, 255-258. *Забележка: въпреки, че статията е цитирана два пъти в текста, поради пропуск на авторите не е включена в списъка на литературата.*

- 508.Grimsson E., Meller B., Bouchal J.M., Zetter R., 2015. Combined LM and SEM study of the middle Miocene (Sarmatian) palynoflora from the Lavanttal Basin, Austria: part III. Magnoliophyta 1 – Magnoliales to Fabales. Grana, 54(2): 85-128.* (Grimsson_et_al_2015)
- 509.Tsopelas P., Santini A., Wingfield M. J., de Beer Z. W., 2017. Canker Stain: A Lethal Disease Destroying Iconic Plane Trees. Plant Disease, 101 (5): 645-658.*
- 510.Rinaldi R., 2016. Studio della variabilita' e della connettivita' genetica in popolazioni relitte di *Platanus orientalis*. Ph.D. thesis, Universita degli studi di Napoli Federico II, 156 pp. (Rinaldi_Rosita_28)
- 511.Dospatliev L., Lacheva M., 2017. Floristic diversity of 'Chinarite' protected area – Rodopi municipality, Bulgaria. Agricultural Science and Technology, 9 (2): 140-143.
- 512.Velikova V., Tsonev T., Tattini M., Arena C., Krumova S., Koleva D., Peeva V., Stojchev S., Todinova S., Izzo L.G., Brunetti C., Stefanova M., Taneva S., Loreto F., 2018. Physiological and structural adjustments of two ecotypes of *Platanus orientalis* L. from different habitats in response to drought and re-watering. Conservation Physiology, 6, 1, coy073, <https://doi.org/10.1093/conphys/coy073>.*

- 41.** Panayotov M., Tsavkov E., **Zhelev P.**, Yurukov S., Ivanova A., Russeva M., Todorova Y., Trouet V., 2011. Tree ring and anatomical studies in *Pinus heldreichii* forests in Pirin Mountains, Bulgaria. Forestry Ideas, 17 (1): 66-73.

Цитирана в:

- 513.Nikolić B., Bojović S., Marin P.D., 2016. Morpho-anatomical traits of *Pinus heldreichii* needles from natural populations in Montenegro and Serbia. Plant Biosystems, 150(2): 254-263.*

- 42.** Dyakov N., **Zhelev P.**, 2013. Alien species invasion and diversity of riparian forest according to environmental gradients and disturbance regime. Applied Ecology and Environmental Research, 11(2): 249-272.*

Цитирана в:

- 514.Vilhar U., Carni A., Bozic G., 2013. Growth and vegetation characteristics of European Black poplar (*Populus nigra* L.) in a floodplain forest along the river Sava and temperature differencies among selected sites. Folia Biologica et Geologica 54/2: 193–214.
- 515.Laivins M., Cekstere G., 2014. Shrub encroachment in non-wooded habitats in Riga. I. Distribution patterns, ecology and plant communities of *Acer negundo*. Mežzinātne 28(61): 39-65. (in Latvian with English and Russian summaries).
- 516.Nešić M., Obratov-Petković D., Skočajić D., Bjedov I., Dukić M & Dunisijević-Bojović, D. 2016. Allelopathic potential of the invasive species (*Aster lanceolatus* Willd.). Periodicum Biologorum 118: 1-7.* (Nesic_et_al_2016)
- 517.Rollinson E.J., 2016. Plant community composition, species coexistence, and community assembly in the riparian zones of small streams in New York State. Ph.D. thesis, Stony Brooks University, New York, 215 pp.
- 518.Chen C., Wu S., Meurk C. D., Ma M., Zhao J., Lv M., Tong X., 2017. Effects of local and landscape factors on exotic vegetation in the riparian zone of a regulated river: Implications for reservoir conservation. Landscape and Urban Planning, 157: 45-55.
- 519.Campagnaro T., Brundu G., Sitzia T., 2017. Five major invasive alien tree species in European Union forest habitat types of the Alpine and Continental biogeographical regions. Journal of Nature Conservation, <https://doi.org/10.1016/j.jnc.2017.07.007>
- 520.Marozas V., Cekstere G., Laivins M., Straigyte L., 2015. Comparison of neophyte communities of *Robinia pseudoacacia* L. and *Acer negundo* L. in the eastern Baltic Sea region cities of Riga and Kaunas. Urban Forestry and Urban Greening, 14(4): 826-834.

- 43.** Krajmerová D., Paule L., Zhelev P., Voleková M., Evtimov I., Gagov V. & Gömöry D., 2016. Natural hybridization in eastern-Mediterranean firs: The case of *Abies borisii-regis*. Plant Biosystems, 150(6): 1189–1199.

Цитирана в:

- 521.Papageorgiou A.C., Kostoudi C., Sorotos I., Varsamis G., Korakis G., Drouzas A.D., 2015. Diversity in needle morphology and genetic markers in a marginal *Abies cephalonica* (Pinaceae) population. *Annals of Forest Research*, 58(2): XX-XX.
- 522.Ballian D., Halilović V., 2016. Variabilnost Obične Jele (*Abies alba* Mill.) u Bosni i Hercegovini. Sarajevo-Ljubljana, 347 pp. ISBN 978-9926-8071-0-8
- 523.Dobrowolska D., Bončina A., Klumpp R., 2017. Ecology and silviculture of silver fir (*Abies alba* Mill.): a review. *Journal of Forest Research*, 22: 326-335. *
- 524.Jasinska A., Sękiewicz K., Ok T., Romo A., Boratyński A., Boratyńska K., 2017. Taxonomic position of *Abies equi-trojani* on the basis of needle characters by comparison with different fir species. *Turkish Journal of Botany*, 41: 620-631.
- 525.Lumaret R., 2017. Interspecies gene flow is a key evolutionary process for the adaptation of long-lived species to new environmental conditions. *Cuadernos de Biodiversidad*, 53: 33-51. (Lumaret_2017)
- 526.Van Laere K., Hokanson S.C., Contreras R., Van Huylenbroeck J., 2018. Woody Ornamentals of the Temperate Zone. In: Van Huylenbroeck J. (ed.) *Ornamental Crops. Handbook of Plant Breeding*, vol 11. Springer, Cham: 803-887. (Van_Laere_et_al_2018)
- 527.Frydl J., Dostál J., Beran F., Čáp J., Fulín M., Frampton J., Božič G., Mátyás C., 2018. Exotic *Abies* species in Czech provenance trials: assessment after four decades. *Acta Silvatica et Ligniarum Hungarica*, 14(1): 9-34. (Frydl_et_al_2018)
- 528.Aravanopoulos F.A., Alizoti P.G., Touvras N., Malliarou E., Avramidou E.V., Korompoki I.-V., Kotina V.-M., Barbas E., Farsakoglu A.-M., 2019. Overview on forest genetic monitoring (FGM) including case studies on FGM for two species from Greece. In: Šijačić-Nikolić M., Milovanović J., Nonić M. (Eds.). *Forests of Southeast Europe Under a Changing Climate. Conservation of Genetic Resources*. Springer, Series Advances in the Global Change Research: 401-407.

44. Вакарелов, И., С. Юруков., Е. Цавков., П. Желев, 2002. Дендрология и декоративна дендрология-практическо ръководство. Дионис, София.

Цитирана в:

529. Асенова М., Савова М., Тодоров В., Иванов Й., Пеев Д., 2017. Проектиране на пространствена база данни на дървесната растителност на територията на Лесотехнически университет в София. В: Международна младежка конференция, Юндола.

45. Yurukov S., Zhelev P., 2005. Biometric characteristics of Mountain Dwarf Pine (*Pinus mugo* Turra) and its hybrids with Scots Pine (*Pinus sylvestris* L.). In: Proc. International Symposium "Forest and Sustainable Development", Brasov, Romania: 7-12.

Цитирана в:

- 530.Alexandrov A., Dobrev R., 2011. The state of the world's forest genetic resources. Country Report Bulgaria, FAO, Rome, 60 pp.

46. Bagnoli F., Tsuda Y., Fineschi S., Bruschi P., Magri D., **Zhelev P.**, Paule L., Simeone M.C., González-Martínez S.C., Vendramin G.G., 2016. Combining molecular and fossil data to infer demographic history of *Quercus cerris*: insights on European eastern glacial refugia. *Journal of Biogeography*, 43(4): 679-690.

Цитирана в:

- 531.Logan S.A., 2016. Ancient relicts in the limelight: an evolutionary study of diversity and demographic history in species of the broad-leaved temperate forest tree genus *Tilia*. Ph.D. thesis, School of Biology, Newcastle University, 231 pp.
- 532.Pollegioni P., Woeste K., Chiocchini F., Del Lungo S., Ciolfi M., Olimpieri I., Tortolano V., Clark J., Hemery G.E., Mapelli S., Malvolti M.E., 2017. Rethinking the history of common walnut (*Juglans regia* L.) in Europe: Its origins and human interactions. *PLoS ONE* 12(3): e0172541.* (Pollegioni_et_al_2017)
- 533.Nabozhenko M.V., Keskin B., Nabozhenko S.V., 2017. Life forms and strategies of lichen-feeding darkling beetles (Coleoptera, Tenebrionidae: Helopini). *Entomological Review*, 97(6): 735-746. *

534. San Jose-Maldia L., Matsumoto A., Ueno S., Kanazashi A., Kanno M., Namikawa K., Yoshimaru H., Tsumura Y., 2017. Geographic patterns of genetic variation in nuclear and chloroplast genomes of two related oaks (*Quercus aliena* and *Q. serrata*) in Japan: implications for seed and seedling transfer. *Tree Genetics and Genomes*, 13:121.
535. Ülker E.D., Tavşanoğlu Ç., Perkaş U., 2018. Ecological niche modelling of pedunculate oak (*Quercus robur*) supports the 'expansion–contraction' model of Pleistocene biogeography. *Biological Journal of the Linnean Society*, 123(2):338-347 (Ulker_et_al_2017)
536. Álvarez-Presas M., Mateos E., Riutort M., 2017. Biodiversidad de planarias terrestres en dos parques nacionales: indicios de una historia de macro y microrefugios pleistocénicos. In: *Proyectos de investigación en Parques Nacionales: 2012-2015*, OAPN: 415-437.
537. Logan S., Chitry M., Wolf K., 2018. Genetic diversity and demographic history of the Siberian lime (*Tilia sibirica*). *Perspectives in Plant Ecology, Evolution and Systematics*, 33: 9-17.*
538. Kim S-H, Cho M-S, Li P and Kim S-C, 2018. Phylogeography and ecological niche modeling reveal reduced genetic diversity and colonization patterns of Skunk Cabbage (*Symplocarpus foetidus*; Araceae) from glacial refugia in Eastern North America. *Front. Plant Sci.* 9:648. doi: 10.3389/fpls.2018.00648* (Kim_et_al_2018)
539. Sękiewicz K., Dering M., Romo A., Dagher-Kharrat M.B., Boratyńska K., Ok T., Boratyński A., 2018. Phylogenetic and biogeographic insights into long-lived Mediterranean Cupressus taxa with a schizo-endemic distribution and Tertiary origin. *Botanical Journal of the Linnean Society*, 188(2): 190-212.
540. Yang J., Vázquez L., Feng L., Liu Z., Zhao G., 2018. Climatic and soil factors shape the demographical history and genetic diversity of a deciduous oak (*Quercus liaotungensis*) in Northern China. *Frontiers in Plant Science*, vol. 9, article 1534. (Yang_et_al_2018)
541. Zhang X.-W., Li Y., Zhang Q., Fang Y.-M., 2018. Ancient east-west divergence, recent admixture, and multiple marginal refugia shape genetic structure of a widespread oak species (*Quercus acutissima*) in China. *Tree Genetics and Genomes*, 14: 88. <https://doi.org/10.1007/s11295-018-1302-9> (Zhang_et_al_2018)
542. Kamp L., Pasinelli G., Milanesi P., Drovetski S.V., Kosiński Z., Kossenko S., Robles H., Schweizer M., 2018. Significant Asia-Europe divergence in the middle spotted woodpecker (Aves, Picidae). *Zoologica Scripta*, 2018, 1-16. (DOI: 10.1111/zsc.12320) (18-ZoolScripta-KampSchweizer_et_al)
543. Jiang, X.-L., Gardner, E. M., Meng, H.-H., Deng, M., & Xu, G.-B. (2018). Land bridges in the Pleistocene contributed to flora assembly on the continental islands of South China: insights from the evolutionary history of *Quercus championii*. *Molecular Phylogenetics and Evolution*. doi:10.1016/j.ympev.2018.11.021 (jiang_et_al_2018)
544. Di Ritta F., Sottili G., 2019. Pollen analysis and tephrochronology of a MIS 13 lacustrine succession from Eastern Sabatini Volcanic District (Rignano Flaminio, central Italy). *Quaternary Science Reviews*, 204: 78-93.
545. Pina-Martins, F., Baptista, J., Pappas Jr G., & Paulo, O. S., 2018. New insights on adaptation and population structure of cork oak using genotyping by sequencing. *Global Change Biology*, <https://doi.org/10.1111/gcb.14497>
546. Riccioni C., Rubini A., Türkoğlu A., Belfiori B., Paolucci F., 2019. Ribosomal DNA polymorphisms reveal genetic structure and a phylogeographic pattern in the Burgundy truffle *Tuber aestivum* Vittad. *Mycologia*, <https://doi.org/10.1080/00275514.2018.1543508>.
547. Denk T., Güner H.T., Bouchal J.M., Kallanxhi M.-E., 2019. The Pleistocene flora of Bezhan, southeast Albania: early appearance of extant tree species. *Historical Biology*, 32: XX-XX. * <https://doi.org/10.1080/08912963.2019.1615061>
548. Mastrogianni A., Kalimanis A.S., Chytrý M., Tsiropidis I., 2019. Phylogenetic diversity patterns in forests of a putative refugial area in Greece: A community level analysis. *Forest Ecology and Management*, 446: 226-237.

47. Klinga P., Mikolaš M., **Zhelev P.**, Hoglund J., Paule L., 2015. Genetic differentiation of western capercaillie in the Carpathian Mountains: the importance of post glacial expansions and habitat connectivity. *Biological Journal of the Linnean Society*, 116: 873-889.*

Цитирана в:

549. Mraz P., Ronikier M., 2016. Biogeography of the Carpathians: evolutionary and spatial facets of biodiversity. *Biological Journal of the Linnean Society*, 119: 528-559. * (Mraz&Ronikier_2016)
550. Rutkowski R., Zawadzka D., Suchecka E., Merta D., 2017. Conservation genetics of the capercaillie in Poland - Delineation of conservation units. *PLoS One*, 12(4):e0174901.*
551. Fameli A., Morán-Luis M., Rodríguez-Muñoz R., Bañuelos M. J., Quevedo M., Mirol P., 2017. Conservation in the southern edge of *Tetrao urogallus* distribution: Gene flow despite fragmentation in the stronghold of the Cantabrian capercaillie. *European Journal of Wildlife Research*, 63: 58. *
552. Rutkowski R., Zawadzka D., Merta D., Stanković A., Jagołkowska P., Suchecka E., Kobielski J., 2017. Conservation genetics of the Capercaillie *Tetrao urogallus* in Poland – diversity of mitochondrial DNA in remnant and extinct populations. *Acta Ornithologica*, 52(2): 179-196. (Rutkowski_et_al_2017_1)*
553. Plachyński D.G., Popgeorgiev G. S., Avramov S. G., Boev Z. N., 2018. The Balkan Capercaillie *Tetrao urogallus rudolfi* Dombrowski, 1912 (Galliformes: Phasianidae): Distribution History and Current Status in Bulgaria. *Acta Zoologica Bulgarica*, 70(1): 101-111.
554. Гомель К.В., Дмитренко М.Г., Пакуль П.А., Волнистый А.А., 2018. Оценка уровня генетического разнообразия гнездовой группировки Черного аиста *Ciconia nigra* в центральной части Припятского полесья по данным полиморфизма митохондриальной ДНК. В: Кулак А.В. и др. (ред.). Актуальные проблемы охраны животного мира в Беларуси и сопредельных регионах: материалы I Международной научно-практической конференции, Минск, Беларусь, 15–18 октября 2018 г. (Gomel *Ciconia nigra*; Sbornik)
555. Poirazidis K., Bontzorlos V., Xofis P., Zakkak S., Xirouchakis S., Grigoriadou E., Kechagioglou S., Gasteratos I., Alivizatos H., Panagiotopoulou M., 2019. Bioclimatic and environmental suitability models for capercaillie (*Tetrao urogallus*) conservation: Identification of optimal and marginal areas in Rodopi Mountain-Range National Park (Northern Greece). *Global Ecology and Conservation*, e00526
556. Борщевский В.Г., Хомякова И.А., 2019. Вес тела глухаря *Tetrao urogallus*: пространственная изменчивость на западе ареала. Труды Карельского научного центра РАН, № 1: 55–74. DOI: 10.17076/bg796
557. Rutkowski R., Pałucki A., Dulisz B., Ciach M., Nowak-Życzyńska Z., Kowalewska K., 2019. Conservation genetics of the Black grouse *Tetrao tetrix* in Poland — distribution of genetic diversity among the last populations. *Acta Ornithologica*, 53(2), <https://doi.org/10.3161/00016454AO2018.53.2.008>

48. George J.P., Konrad H., Collin E., Thevenet J., Ballian D., Idzajt M., Kamm U., **Zhelev P.**, Geburek T., 2015. High molecular diversity in true service tree (*Sorbus domestica*) despite rareness: data from Europe with special reference to the Austrian occurrence. *Annals of Botany*, 115(7): 1105-1115. *

Цитирана в:

558. Jankowska-Wroblewska S., Meyza K., Sztupecka E., Kubera L., Burczyk J., 2016. Clonal structure and high genetic diversity at peripheral populations of *Sorbus torminalis* (L.) Crantz. *iForest*, e1-e9.* (doi: 10.3832/ifor1885-009)* (Jankowska-WroblewskaetalBurczyk2016-iForestFINAL)
559. Jankowska-Wroblewska S., Warmbier J., Burczyk J., 2016. Spatial genetic structure within populations of *Sorbus torminalis* (L.) Crantz: comparative analysis of the self-incompatibility locus and nuclear microsatellites. *Acta Biologica Cracoviensia, Series Botanica*, (58(1): 7-17.* (Jankowska-Wroblewska_2016)
560. Sampson et al. Sampson J.E., Byrne M., Gibson N., Yates C., 2016. Limiting inbreeding in disjunct and isolated populations of a woody shrub. *Ecology and Evolution*, 6 (16): 5867–5880.* (Sampson_et_al-2016-Ecology_and_Evolution)
561. Špišek Z., Uherková A., Svitok M., Vašut R.J., 2018. *Sorbus domestica* L. at its northern Pannonian distribution limits: distribution of individuals, fruit shapes and dendrometric characteristics. *Dendrobiology*, 80: 37-47.* (Spisek_et_al_2018)
49. Brousseau L., Postolache D., Lascoux M., Drouzas A.D., Källman T., Leonarduzzi C., Liepelt S., Piotti A., Popescu F., Roschanski A.M., **Zhelev P.**, Fady B., Vendramin G.G., 2016. Local adaptation in European firs assessed through extensive sampling across altitudinal gradients in southern Europe. *PLoS ONE*, 11(7): e0158216.*

Цитирана в:

562. Di Pierro E. A., Mosca E., González-Martínez S.C., Binelli G., Neale D.B., La Porta N., 2017. Adaptive variation in natural Alpine populations of Norway spruce (*Picea abies* [L.] Karst) at regional scale: Landscape features and altitudinal gradient effects. *Forest Ecology and Management*, 405: 350-359.*
563. Latreille A.C., Pichot C., 2017. Local-scale diversity and adaptation along elevational gradients assessed by reciprocal transplant experiments: lack of local adaptation in silver fir populations. *Annals of Forest Science* (2017) 74: 77. <https://doi.org/10.1007/s13595-017-0673-7>. *
564. Lobo A., Hansen J.K., Hansen L.N., Kjaer E.D., 2017. Differences among six woody perennials native to Northern Europe in their level of genetic differentiation and adaptive potential at fine local scale. *Ecology and Evolution*, DOI: 10.1002/ece3.3824*
565. Eliades N.-G. H., Aravanopoulos F. (P.) A., Christou A.K., 2018. Mediterranean Islands Hosting Marginal and Peripheral Forest Tree Populations: The Case of *Pinus brutia* Ten. in Cyprus. *Forests*, 9: 514. (Eliades_et_al_2018)*
566. Vitasse Y., Rebetez M., Augustin S., Brang P., 2018. Quel avenir pour le sapin blanc en Suisse sous les effets des changements climatiques? *Schweizerische Zeitschrift für Forstwesen*, 169 (3): 131-142. (Vitasse et al 2018)
567. Konôpková A., Krajmerová D., Kurjak D. Kmeť J., Pšidová E., Kučerová J., Hrivnák M., Longauer R., Ditmarová L., Gömöry D., 2019. Nucleotide polymorphisms associated with climate and physiological traits in silver fir (*Abies alba* Mill.) provenances. *Flora*, 250: 37-43.*
568. Vitasse Y., Bottero A., Rebetez M., Conedera M., Augustin S., Brang P., Tinner W., 2019. What is the potential of silver fir to thrive under warmer and drier climate? *European Journal of Forest Research*, 14 pp. <https://doi.org/10.1007/s10342-019-01192-4>

50. Dountchev A.D., Tsvetanov N.A., **Zhelev P.**, Panayotov M.P., 2014. Challenges for the conservation of the Norway Spruce forests in Vitosha Nature Park after large-scale natural disturbances. *Ecologia Balkanica*, 5(spec ed.): 61-69.

Цитирана в:

569. Pawlaczyk P., 2016. Martwe drzewa w ochronie żywej przyrody. In: Wikło A. (ed.). stan ekosystemów leśnych Puszczy białowieskiej. ogólnopolska konferencja Naukowa Ministerstwa Środowiska i Generalnej Dyrekcji lasów Państwowych Warszawa, 28 października 2015. centrum Informacyjne lasów Państwowych, Warszawa: 59-86.

51. Vassilev, K., H. Pedashenko, A. Alexandrova, A. Tashev, A. Ganeva, A. Gavrilova, A. Gradevska, A. Assenov, A. Vitkova, B. Grigorov, Ch. Gussev, E. Filipova, I. Aneva, I. Knollová, I. Nikolov, G. Georgiev, G. Gogushev, G. Tinchev, K. Pachedjieva, K. Koev, M. Lyubenova, M. Dimitrov, N. Apostolova-Stoyanova, N. Velez, **P. Zhelev**, P. Glogov, R. Natcheva, R. Tzonev, S. Boch, S. Hennekens, S. Georgiev, S. Stoyanov, T. Karakiev, V. Kalníková, V. Shivarov, V. Russakova, V. Vulchev. 2016. Balkan Vegetation Database: historical background, current status and future perspectives. *PHYTOCOENOLOGIA*, 46 (1): 89-95.

570. Venn S., Ambarlı D., Biurrun I., Dengler J., Janišová M., Kuzemko A., Török P., Vrahnakis M., 2016. The Eurasian Dry Grassland Group (EDGG) in 2015-2016. *Hacquetia* 15 (2): 15-19. (Venn_et_al_2016)

52. Markov G., Zhelev P., Ben Slimen H., Suchentrunk F., 2016. Population genetic data pertinent to the conservation of Bulgarian chamois (*Rupicapra rupicapra balcanica*). *Conservation genetics*, 17(1): 155-164. Импакт фактор: 1.515

Цитирана в:

571. Uçarlı Y., 2016. Çoruh Vadisi ve Verçenik Dağı Yaban Hayatı Geliştirme Sahalarındaki Barajların Yaban Keçisi Üzerine Etkileri. Artvin Çoruh Üniversitesi Fen Bilimleri Enstitüsü, Doktora Tezi, Artvin, 147s.
572. Münzbergová Z., Šurinová M., Husáková I., Brabec J., 2018. Strong fluctuations in aboveground population size do not limit genetic diversity in populations of an endangered biennial species. *Oecologia*, 187(3): 863-872. (DOI: DOI 10.1007/s00442-018-4152-0).*

573. Iacolina L., Corlatti L., Buzan E., Safner T., Šprem N., 2018. Hybridisation in European ungulates: an overview of the current status, causes, and consequences. *Mammal Review* (online first), <https://doi.org/10.1111/mam.12140>
574. Safner T., Buzan E., Rezić A., Šprem N., 2019. Small-scale spatial genetic structure of Alpine chamois (*Rupicapra rupicapra*) in Northern Dinarides. *European Journal of Wildlife Research*, 65: 23.*
575. Papaioannou H., Fernández M., Pérez T., Domínguez A., 2019. Genetic variability and population structure of chamois in Greece (*Rupicapra rupicapra balcanica*). *Conservation Genetics*, DOI: 10.1007/s10592-019-01177-1*

- 53.** Юруков С., Желев П., Цавков Е., 2003. Дендрологична характеристика на ПП Златни Пясъци. В: Сб. Доклади от конференция: “50 години от основаването на ПП “Златни пясъци”, Варна, Октомври, 2003:

Цитирана в:

576. Zahariev D., 2016. Flora of Frangensko plateau (North-Eastern Bulgaria). Фиторазнообразие восточной Европы, X(2): 96-114. (Dimcho_Zahariev_2016)

- 54.** Grueva M., Zhelev P., 2010. Height growth of *Platanus orientalis* L. in a combined provenance/progeny nursery test. *Analele Universității din Craiova, seria Agricultură – Montanologie – Cadastru*, Vol. XL/2: 633-638.

Цитирана в:

577. Wilson S McG., Mason B., Savill P., Jinks R., 2017. Noble Hardwood Alternatives to Ash: Maples (*Acer* spp.), planes (*Platanus* spp.), hickories (*Carya* spp.), wingnuts (*Pterocarya* spp.), hop hornbeams (*Ostrya* spp.), sweetgum (*Liquidambar styraciflua*) and tulip tree (*Liriodendron tulipifera*). *Quarterly Journal of Forestry*, 111(3): 166-182. (Wilson_et_al_2017) *

- 55.** Doncheva N., Gagov V., Zhelev P., 2003. Individual heterozygosity distribution in natural Scots pine (*Pinus sylvestris* L.) populations. **Genetics and Breeding**, 32 (1-2): **61-67.**

Цитирана в:

578. Георгиева М., 2016. Проучване на генетичното разнообразие на източния платан (*Platanus orientalis* L.) в България. Дисертация, С., ЛТУ, 139 с.

- 56.** Желев П., Цавков Е., Илиев Н., 2006. Крайречни гори на територията на РУГ – Кърджали, Отчет по приложен проект. РУГ-Кърджали, 31 с.

Цитирана в:

579. Маринов М., Тодоров Д., Василев В., Чешмеджиев С., 2007. Крайречна интразонална растителност и хидроморфология в поречието на Марица в участъка между Пловдив и Първомай. Пловдив, Българска Фондация Биоразнообразие, 25 с.

- 57.** Aneva I., Zhelev P., 2015. Reports 1-8. In: Vladimirov V., Dane F., Tan K. (compilers): *New Floristic Record in the Balkans*: 28. *Phytologia Balcanica*, 21: 368.

580. Ташев А.Н., Цавков Е.И., 2014. Природоохранна значимост дендрофлоры горного массива Пирин (България). Фиторазнообразие Восточной Европы 2014, VIII (4): 4-13. (Tashev&Tsavkov_2014_Pirin) – Цитирана предварително като “Zhelev & Aneva (in press)”
581. Tashev A., Tsavkov E., 2015. The dendroflora of the Pirin Mountain (Bulgaria) and its conservation importance. In: Andrianos L.A., Sneepe J.W., Zorbas K. (Eds.). "Plants for people, People for Plants", 7th Planta Europa Conference Proceedings. Horizon Research Publishing: 105-110. – Цитирана предварително като “Zhelev & Aneva (in press)”
582. Petrova A., Vladimirov V., 2018. Recent progress in floristic and taxonomic studies in Bulgaria. *Botanica Serbica*, 42(1): 35-69. (Petrova&Vladimirov_2018) *

58. Pandeva D., P. Zhelev. 2004. Black poplar (*Populus nigra* L.) gene conservation activities in Bulgaria. Country Report. Populus nigra Network Report of the Seventh (25–27 October 2001, Osijek, Croatia) and Eighth (22–24 May 2003, Treppeln, Germany) meetings, Koskela J., S.M.G. de Vries, D. Kajba, G. von Wühlisch, compilers, 29-30.

Цитирана в:

583. Kalaydzhiev I., Anev S., Gyuleva V., Tsvetkova N., 2015. Growth and adaptive capacity of one-year old *Populus nigra* L. *Silva Balcanica*, 16(1): 50-61. (Kalaydzhiev_et_al_2015)

59. Раев, И., П. Желев, М. Грозева, И. Марков, И. Величков, М. Жиянски, Г. Георгиев, С. Митева, В. Александров. 2011. Програма от мерки за адаптиране на горите в Република България и смекчаване на негативното влияние на климатичните промени върху тях. Изпълнителна агенция по горите при МЗХ, София, 212 с.

Цитирана в:

584. Додев Й., Попов Г., 2011. Разпространение, структура и динамика на горите от *Carpinus orientalis* Mill. В източния дял на Западна Стара планина и възможности за устойчивото им управление. Наука за гората, (1-2): 3-25.

585. Маринов И.Ц., Попов Г., Спиридонов В., Балабанова С., Любенов Т., 2014. Изменение на екологичните условия във водосбора на яз. „Тича“ в резултат на очакваните климатични промени. Наука за гората, 1-2: 23-35.

60. Kelleher C. T., de Vries S.M.G., Baliuckas V., Bozzano M., Frýdl J., Gonzalez Goicoechea P., Ivankovic M., Kandemir G., Koskela J., Koziol C., Liesebach M., Rudow A., Vietto L., **Zhelev P.** 2015. Approaches to the Conservation of Forest Genetic Resources in Europe in the Context of Climate Change. European Forest Genetic Resources Programme (EUFORGEN), Bioversity International, Rome, Italy. xiv+46 pp.

Цитирана в:

586. Nonić M., Nedeljković J., Nonić D., 2017. Strateški i zakonodavni okviri konzervacije šumskih genetičkih resursa u Srbiji. *Selekcija i Semearstvo*, XXIII (1): 11-26.

587. Fussi B., Westergren M., Aravanopoulos F., Baier R., Kavaliauskas D., Finzgar D., Alizoti P., Bozic G., Avramidou E., Konnert M., Kraigher H., 2016. Forest genetic monitoring: an overview of concepts and definitions. *Environmental Monitoring and Assessment*, 188:493.*

588. Alan M., 2018. Comparison of genetic parameters between optimal and marginal populations of oriental sweet gum on adaptive traits. *iForest* 11: 510-516. (doi:10.3832/ifer2450-011)

589. Nonić M., Nedeljković J., Nonić D., Milovanović J., Šijačić-Nikolić M. (2019) Regulatory Framework for Conservation and Sustainable Utilization of Forest Genetic Resources in Serbia. In: Šijačić-Nikolić M., Milovanović J., Nonić M. (eds) *Forests of Southeast Europe Under a Changing Climate. Advances in Global Change Research*, vol 65. Springer, Cham: 87-104.

590. Postolache D., Curtu A.L., Șofletea N., Popescu F. (2019) Conservation and Management of Romanian Forest Genetic Resources in the Context of Climate Change. In: Šijačić-Nikolić M., Milovanović J., Nonić M. (eds) *Forests of Southeast Europe Under a Changing Climate. Advances in Global Change Research*, vol 65. Springer, Cham: 389-399.

591. Pehu T., Kiviharju E., Rusanen M., Kantanen J., Heinimaa P., 2018. Finland's National Genetic Resources Program for Agriculture, Forestry and Fisheries. *Publications of the Ministry of Agriculture and Forestry*, Helsinki, 160 pp. ISBN PDF: 978-952-453-994-4

61. Aravanopoulos F.A., Tollefsrud M.M., Graudal L., Koskela J., Kätzel R., Soto A., Nagy L., Pilipovič A., **Zhelev P.**, Božič G., Bozzano M. 2015. Development of genetic monitoring methods for genetic conservation units of forest trees in Europe. European Forest Genetic Resources Programme (EUFORGEN), Bioversity International, Rome, Italy. xvi+55 pp.

Цитирана в:

592. Popescu F., Postolache D., Pitar D., 2015. Aspecte privind conservarea și managementul resurselor genetice forestiere din România. *Revista de Silvicultură și Cinegetică*, XX, 37: 13-17. (Popescu_et_al_2015)
593. Verbylaite R., Pliura A., Lygis V., Suchockas V., Jankauskiene J., Labokas J., 2017. Genetic diversity and its spatial distribution in self-regenerating Norway Spruce and Scots Pine stands. *Forests*, 8, 470. * (Verbylaite_et_al_2017)
594. Donis J., Laiviņš M., Ruņģis D., Lūkins M., Zariņš J., Gitendorfs G., Moisejevs R., 2017. [Metodikas izstrāde bioloģiskās daudzveidības novērtēšanai nacionālā meža monitoringa ietvaros]. Development of methodology for the assessment of biodiversity in the framework of national forest monitoring. Project Report, Latvian State Forestry Institute "Silava", 89 pp.
595. Pehu T., Kiviharju E., Rusanen M., Kantanen J., Heinimaa P., 2018. Finland's National Genetic Resources Program for Agriculture, Forestry and Fisheries. Publications of the Ministry of Agriculture and Forestry, Helsinki, 160 pp. ISBN PDF: 978-952-453-994-4

62. Aneva Y. I., Evstatieva L., Zhelev P., Papajani - Toska V., Ibraliu A. 2014. Distribution of *Sideritis raeseri* Boiss. et Heldr. in Albania – state of its populations and recommendations for conservation. *Proceedings CMAPSEEC*: 89-100.

Цитирана в:

596. Bajrami A., Icka P., Damo R., 2018. An ethnobotanical study of plants used for tea making in Kosovo and Albania. In: *Proc. International Conference on Sustainable Development (ICSD)*, October 19-23, 2016: 463-470. (Bajrami_et_al_2018)

63. Nikolova M., Aneva I., ZHELEV P., Dimitrova M. 2017. Flavonoid compounds and antioxidant activity of Bulgarian species of *Micromeria*. *Annuaire de l'Université de Sofia "St. Kliment Ohridski", Faculte de Biologie*, vol. 102, livre 4: 7-13.

Цитирана в:

597. Akkol E.K., Dereli F.T.G., Ilhan M., 2019. Assessment of antidepressant effect of the aerial parts of *Micromeria myrtifolia* Boiss. & Hohen on mice. *Molecules*, 24, 1869.* (Akkol_et_al_2019)
598. Младенова Ц., Петков В., Сираков С., Стоянов С., 2018. Биологично проучване на *Micromeria frivaldszkyana* (Degen) Velen. (Lamiaceae). В: Пейчев Л.П. (Ред.). Сборник статии от Национална научна конференция „15 години фармация в Медицински университет – Пловдив“, Девин, 01-03 юни 2018: 285-289.

64. Желев П., Юруков С., 2004. Дървесните видове в Камчийския лонгоз. В: Костов Г. (ред.). Доклади от Националното съвещание “Природосъобразно и устойчиво стопанисване на лонгозните гори”, Старо Оряхово – РУГ Варна, 2-3.10.2003: 25-33.

Цитирана в:

599. Tashev A.N., Vitkova A.V., Alexandrova A.V., 2018. Floristic composition and current state of forest natural habitats in Natura 2000 protected site “Kamchia” (BG0000116). *Acta Zoologica Bulgarica*, Suppl. 11: 69-74.*

65. Bordacs S., Zhelev P., Schirone B., 2009. EUFORGEN, Technical Guidelines for genetic conservation and use for pubescent oak (*Quercus pubescens* Willd.). International Plant Genetic Resources Institute, Rome, Italy, 1-6.

Цитирана в:

600. Apostol E.N., Dinu C.G., Apostol B., Ciuvăț A.L., Lorent A., Pleșca I., Postolache D., Enescu C.M., 2016. Importance of Pubescent oak (*Quercus pubescens* Willd.) for Romanian forests in the context of climate change. *Revista de Silvicultură și Cinegetică*, XXI (39): 29-33.

66. Aneva I., **Zhelev P.**, Nikolova M., Evtimov I., 2016. The ecological and floristic characteristics of natural population of *Micromeria juliana* (L.) Benth. ex Rchb. in Bulgaria. *Biologica Nyssana*, 7(2): 91-99.

Цитирана в:

601. Младенова Ц., Петков В., Сираков С., Стоянов С., 2018. Биологично проучване на *Micromeria frivaldszkyana* (Degen) Velen. (Lamiaceae). В: Пейчев Л.П. (Ред.). Сборник статии от Национална научна конференция „15 години фармация в Медицински университет – Пловдив“, Девин, 01-03 юни 2018: 285-289.

Общо: 601 цитирания. От тях 270 цитирания в научни списания с импакт фактор, 150 цитирания в научни списания без импакт фактор и 181 цитирания в монографии, книги, дисертации, сборници от конференции и др.

Забележка: Цитиранията отпреди 1999 г. (общо 8 бр.) са отпреди хабилитирането за доцент. Те, обаче, не са били известни на автора тогава и не са били включени в документите по конкурса за доцент. Поради това в настоящия списък се посочват всички установени цитирания.

София, юли 2019 г.

Изготвил справката:

Доц. П. Желев